



RAVENOL Diesel Quality Stabilisator



ART.-NR. 1390244

300 ml | 1390244-300

RECOMMENDATIONS ERHÖHT DIE LAGERSTABILITÄT BEZÜGLICH OXIDATION UND BIOLOGISCHER KONTAMINATION DURCH WIRKUNGSVOLLE ANTIOXIDANTIEN

RAVENOL Diesel Quality Stabilisator contains an innovative ingredient, which ensures the general quality of the fuel in diesel fuels.

RAVENOL Diesel Quality Stabilisator improves the storage stability of diesel fuels using effective antioxidants and dispersants.

RAVENOL Diesel Quality Stabilisator enables excellent oxidation protection even at higher temperatures.

RAVENOL Diesel Quality Stabilisator prevents smoke generation and bad smells.

Application Notes

RAVENOL Diesel Quality Stabilisator is added to the diesel fuel.

Area of application:

- Diesel engines in passenger cars and lorries
- Ensures the quality of the fuel
- For vehicles with longer standstill periods
- Increases the storage stability regarding oxidation and biological contamination
- Can also be used in bio-diesel or mixtures of diesel fuel with bio-diesel

Application: Pour the contents of the container into the full tank. The ideal dosage is a can of **RAVENOL Diesel Quality Stabilisator** per 40 litres of diesel.

Note: Fill the tank completely if the vehicle has not been used for a longer period of time and add the appropriate amount of **RAVENOL Diesel Quality Stabilisator**.

Characteristics

RAVENOL Diesel Quality Stabilisator provides:

- Improved storage stability of the diesel fuel
- Prevention of microbiological contamination
- Protection against corrosion and deposits in the system



- Improved engine operation and acceleration performance at low outside temperatures
- Prevention of damages to fuel injection system caused by deposits
- Improved winter performance of the fuel



Property	Unit	Data	Audit
Density at 20°C	kg/m ³	810	EN ISO 12185
Colour		gelb	visual
Flash Point PM	°C	61	DIN ISO 3679

All information correspond to the best of our knowledge to the actual situation of the cognitions and our development. Subject to alterations. All references made to DIN-norms are only for the description of the goods. There is no guarantee. In case there will be any problems please contact the technical service.

Release: : 06. May 2020