



## RAVENOL MTF-1 SAE 75W-85



ART.-NR. 1221102

1 L | 1221102-001  
4 L | 1221102-004  
10 L | 1221102-010  
20 L | 1221102-020  
20 L | 1221102-B20  
60 L | 1221102-060  
60 L | 1221102-D60  
208 L | 1221102-208  
208 L | 1221102-D28  
1000 L | 1221102-700

**VISCOSITY** 75W-85

**SPECIFICATIONS** API GL-4 | API GL-5

**FABRICATION** FULLY SYNTHETIC

**RECOMMENDATIONS** GENERAL MOTORS 1940182 | GENERAL MOTORS 93740319 | HYUNDAI 04300-00110 | HYUNDAI 04300-00140 | HYUNDAI 08950-00020-B | HYUNDAI 08950-00020-A | MB 235.4 | MITSUBISHI 3717610 | MTF BOT 402 BOT 0063 FOR F35/MU3 5-GANG SAAB/GM/OPEL | NISSAN KLD26-75802 | KE91699931 | KE91699942 | 999MP-MTF00P | OPEL B 040 2071 | TOYOTA 08885-02606 | TOYOTA 08885-81070 | TOYOTA 08885-81060

**RAVENOL MTF-1 SAE 75W-85** is a PAO based full synthetic, low-viscosity transmission oil for special manual transmissions, transfer cases and differential gears.

**RAVENOL MTF-1 SAE 75W-85** is designed based on synthetic base oils and specially coordinated additive treatment. This exceeds the needs of today's application requirements.

**RAVENOL MTF-1 SAE 75W-85** is outstanding for use under severe mechanical and thermal stress on transmission oils, even with extended oil change intervals.

## Application Notes

**RAVENOL MTF-1 SAE 75W-85** is a high performance transmission oil for manual transmissions, transfer cases and differential gears.

## Characteristics

**RAVENOL MTF-1 SAE 75W-85** offers:

- Excellent thermal stability.
- High protection from rust, corrosion, foaming.
- Low solidification point.
- Excellent EP properties.
- Good shifting behaviour in low temperatures.
- Extended life.
- Fuel savings



Property	Unit	Data	Audit
Density at 20°C	kg/m <sup>3</sup>	855,0	EN ISO 12185
Colour		rot	visual
Brookfield Viscosity	mPa*s	52.400	ASTM D 2983
Pourpoint	°C	-42	DIN ISO 3016
Copper Strip Test		1b	ASTM D130

All information correspond to the best of our knowledge to the actual situation of the cognitions and our development. Subject to alterations. All references made to DIN-norms are only for the description of the goods. There is no guarantee. In case there will be any problems please contact the technical service.

Release: : 30. October 2019