



RAVENOL SCOOTER 2-Takt Teilsynth.



ART.-NR. 1152150

1 L | 1152150-001
4 L | 1152150-004
10 L | 1152150-010
20 L | 1152150-020
20 L | 1152150-B20
1000 L | 1152150-700

SPECIFICATIONS API TC | ISO-L-EGC

FABRICATION SEMI-SYNTHETIC

APPROVALS JASO FC (049RAV150)

RECOMMENDATIONS APRILIA | HONDA | KYMCO | PEUGEOT | PIAGGIO | SUZUKI | VESPA | YAMAHA

RAVENOL SCOOTER 2-Takt Teilsynth. is a very high quality "self-mixing" two-stroke engine oil with special esters and Polyisobutylene (PIB).

RAVENOL SCOOTER 2-Takt Teilsynth. is based on mineral and synthetic base oils with effectively low ash two-stroke additives.

Application Notes

RAVENOL SCOOTER 2-Takt Teilsynth. is a self-mixing two-stroke oil and suitable for mixed and separate lubrication.

RAVENOL SCOOTER 2-Takt Teilsynth. is used for lubrication of air-cooled two-stroke petrol engines with very high speed and heaviest load.

RAVENOL SCOOTER 2-Takt Teilsynth. is also suitable for the lubrication of two stroke scooters with water cooling.

RAVENOL SCOOTER 2-Takt Teilsynth. can generally be mixed with regular petrol 1:75.

Please follow the manufacturer's recommendations.

Characteristics

RAVENOL SCOOTER 2-Takt Teilsynth. offers:

- A proper lubrication of all engine parts
- A strong cleaning effect, for clean combustion chambers. Cleans intake and exhaust ports from combustion residues and deposits
- Clean spark plugs provide optimal performance of the engines
- A very high wear and corrosion protection
- Low exhaust emission levels by good combustion



Property	Unit	Data	Audit
Density at 20°C	kg/m ³	863,0	EN ISO 12185
Colour		rot	visual
Viscosity at 100°C	mm ² /s	9,7	DIN 51 562
Viscosity at 40°C	mm ² /s	68,4	DIN 51 562
Viscosity index VI		122	DIN ISO 2909
Pourpoint	°C	-36	DIN ISO 3016
Flash point (COC)	°C	180	DIN ISO 2592
Sulphated ash	%wt.	0,09	DIN 51 575

All information correspond to the best of our knowledge to the actual situation of the cognitions and our development. Subject to alterations. All references made to DIN-norms are only for the description of the goods. There is no guarantee. In case there will be any problems please contact the technical service.

Release: : 15. September 2020