



RAVENOL SCOOTER 4-Takt Teilsynth.



ART.-NR. 1152155

1 L | 1152155-001
4 L | 1152155-004
10 L | 1152155-010
20 L | 1152155-020
20 L | 1152155-B20
60 L | 1152155-060
60 L | 1152155-D60
1000 L | 1152155-700

SPECIFICATIONS API SL

FABRICATION SEMI-SYNTHETIC

RECOMMENDATIONS YAMAHA | HONDA | APRILIA | SUZUKI | KAWASAKI
| PEUGEOT | ARCTIC CAT | BOMBARDIER | ARGO | DINLI | POLARIS |
PIAGGIO

RAVENOL SCOOTER 4-Takt Teilsynth. is a semi-synthetic high quality green dyed motor oil for small 4-stroke engines. Special ingredients provide for a clean motor and clean intake and exhaust systems. This provides impeccable lubrication and wear protection.

RAVENOL SCOOTER 4-Takt Teilsynth. enables an energy-saving operation of motors because of its additives and the selection of base oils and viscosity characteristics. The special ingredients in **RAVENOL SCOOTER 4-Takt Teilsynth.** provide for a clean motor and clean intake and exhaust systems. **RAVENOL SCOOTER 4-Takt Teilsynth.** is the product for an ideal service life of the engine.

Application Notes

RAVENOL SCOOTER 4-Takt Teilsynth. is used in small 4-stroke engines.

Characteristics

RAVENOL SCOOTER 4-Takt Teilsynth. offers:

- High wear protection
- Fuel saving due to smooth-running properties
- Excellent detergent and dispersant properties
- Prevention of black sludge formation
- Long service life due to outstanding oxidation stability
- Excellent cold start performance
- Very good viscosity-temperature characteristics
- Low tendency to evaporation



Property	Unit	Data	Audit
Density at 20°C	kg/m ³	862	EN ISO 12185
Colour		grün	DIN 51757
Viscosity at 100°C	mm ² /s	13,9	DIN 51 562
Viscosity at 40°C	mm ² /s	93,2	DIN 51 562
Viscosity index VI		151	DIN ISO 2909
Pourpoint	°C	- 36	DIN ISO 3016
Flash point (COC)	°C	235	DIN ISO 2592
TBN	mg KOH/g	9,8	ASTM D2896
Sulphated ash	%wt.	1,5	DIN 51 575

All information correspond to the best of our knowledge to the actual situation of the cognitions and our development. Subject to alterations. All references made to DIN-norms are only for the description of the goods. There is no guarantee. In case there will be any problems please contact the technical service.

Release: : 12. May 2020