



RAVENOL Petrol Performance Optimizer Premium

Kategorie: Additives

Artikelnummer: 1390201

Application: Passenger car, Motorcycle, Marine



0.3L | 1390201-300

RAVENOL Petrol Performance Optimizer Premium is a premium fuel additive for all petrol engines for cleaning all components in contact with fuel. Ensures a technically safe and economic operation.

RAVENOL Petrol Performance Optimizer Premium provides a verifiable saving of fuel and increased performance.

RAVENOL Petrol Performance Optimizer Premium guarantees ideal combustion. This prevents deposits and oxidation by-products on fuel lines, injection needles, cylinders, spark plugs and combustion chamber.

RAVENOL Petrol Performance Optimizer Premium prolongs the service life of catalytic converters and lambda probes by means of optimum combustion.

Application Note

RAVENOL Petrol Performance Optimizer Premium is added to the petrol.

Area of application:

- Petrol-operated engines
- Can be used preventively at every service
- In the event of increased fuel consumption
- In cases where inadequate fuel is suspected
- When using E10 petrol blend
- Also recommended for direct injection engines
- Binds moisture and condensation in the fuel

Application: Pour the contents of the container into the tank. Fuel volume up to 60 l of petrol. Minimum fuel capacity according to volume of fuel reserve.

RAVENOL Petrol Performance Optimizer Premium is an easy to mix petrol additive, which is certified by TÜV (Technical Inspection Agency) Nord.

Characteristics

- Certified by TÜV Nord (Technical Inspection Agency)
- guarantees optimum combustion

- Saving of fuel
- Cleaning of fuel lines, injection needles, cylinders, spark plugs and combustion chamber
- Increases performance
- Prolongs the service life of catalytic converters and lambda probes
- Protection against corrosion

Technical Product Data

PROPERTY	UNIT	DATA	AUDIT
Density at 20 °C		824	EN ISO 12185
Colour		colorless	VISUELL
Viscosity at 40 °C	mm ² /s	0,73	DIN EN ISO 3104
Flashpoint (PM)	°Celsius	-9	DIN ISO 3679

All indicated data are approximate values and are subject to the commercial fluctuations.