



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

* **1.1. Product identifier**

Trade name/designation:

RAVENOL FORKOIL Light 5W

Article No.:

1182102

UFI:

C53U-VGTP-WQGG-P94D

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Lubricant

* **1.3. Details of the supplier of the safety data sheet**

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Produktsicherheit
Jöllenbecker Str. 2
33824 Werther
Germany

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 40

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): sdb@ravenol.de

* **1.4. Emergency telephone number**

24 hr. emergency phone number, 24h: +49 700 24 112 112 (Contract ID: RAV) / +1 872 5888271
(Contract ID: RAV)

SECTION 2: Hazards identification

* **2.1. Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard (<i>Asp. Tox. 1</i>)	H304: May be fatal if swallowed and enters airways.	Calculation method.
Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>)	H319: Causes serious eye irritation.	Calculation method.

* **2.2. Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark



GHS08

Health hazard

Signal word: Danger



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

Hazard components for labelling:

Dec-1-ene, dimers, hydrogenated; Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified; Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Methacrylic Copolymer

Hazard statements for health hazards

H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.

Supplemental hazard information: none

Precautionary statements

P102	Keep out of reach of children.
------	--------------------------------

Precautionary statements Prevention

P264	Wash hands thoroughly after handling.
P280	Wear protective gloves and eye/face protection.

Precautionary statements Response

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/Emergency telephone number.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Precautionary statements Storage

P405	Store locked up.
------	------------------

Precautionary statements Disposal

P501	Dispose of contents/container to an appropriate recycling or disposal facility.
------	---

* **2.3. Other hazards**

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

* **3.2. Mixtures**

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64742-54-7 EC No.: 265-157-1 REACH No.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified Asp. Tox. 1 (H304) Danger	35 - < 65 weight-%
CAS No.: 68649-11-6 EC No.: 500-228-5	Dec-1-ene, dimers, hydrogenated Acute Tox. 4 (H332), Asp. Tox. 1 (H304) Danger	20 - < 30 weight-%
CAS No.: 63150-03-8 EC No.: 613-160-7	Methacrylic Copolymer Eye Irrit. 2 (H319) Warning	5 - < 10 weight-%
CAS No.: 72623-86-0 EC No.: 276-737-9 REACH No.: 01-2119474878-16	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Asp. Tox. 1 (H304) Danger	3 - < 6 weight-%
CAS No.: 27193-86-8 EC No.: 248-312-8	dodecylphenol Repr. 1A (H360), Skin Corr. 1B (H314) Danger Additional information: This substance has endocrine disrupting properties with respect to humans. This substance has endocrine disrupting properties with respect to non-target organisms.	0 - < 0.01 weight-%
CAS No.: 91-20-3 EC No.: 202-049-5 Index No.: 601-052-00-2	naphthalene Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Carc. 2 (H351) Warning	0 - < 0.00005 weight-%

Full text of H- and EUH-phrases: see section 16.



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

SECTION 4: First aid measures

* 4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. Consult a doctor immediately.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Causes serious eye irritation.

Following ingestion:

IF SWALLOWED: Immediately call a POISON CENTER/doctor/Emergency telephone number. Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Let water be drunken in little sips (dilution effect).

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

* 4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation. May be fatal if swallowed and enters airways.

* 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Observe risk of aspiration if vomiting occurs. Subsequent observance for pneumonia and lung oedema.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO₂)

Extinguishing powder

alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

When hot, product develops flammable vapours.

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Gases/vapours, toxic

During heating or in case of fire, toxic gases is possible.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

* 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

Protective equipment:

Personal protection equipment: see section 8



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

Emergency procedures:

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

* 7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

Fire prevent measures:

No special fire protection measures are necessary.

Environmental precautions:

Shafts and sewers must be protected from entry of the product.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.

Hints on storage assembly:

not required

Storage class (TRGS 510, Germany): 10 - Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE)	Dec-1-ene, dimers, hydrogenated CAS No.: 68649-11-6 EC No.: 500-228-5	① 5 mg/m ³ ② 20 mg/m ³ ⑤ (alveolengängige Fraktion)
SI	Dec-1-ene, dimers, hydrogenated CAS No.: 68649-11-6 EC No.: 500-228-5	① 5 mg/m ³ ② 20 mg/m ³ ⑤ (alveolarna frakcija) Y
CH	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³) ⑤ (Dampf und Aerosol; kann über die Haut aufgenommen werden) H C2; Tox: Blut OAW Auge; Messmeth: NIOSH OSHA
BE	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (53 mg/m ³) ② 15 ppm (80 mg/m ³) ⑤ (peut être absorbé par la peau) D
CZ	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 9.4 ppm (50 mg/m ³) ② 18.8 ppm (100 mg/m ³)
PL	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 20 mg/m ³ ② 50 mg/m ³ ⑤ (może przenikać przez skórę do organizmu) skóra
NO	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³) ⑤ E
IE	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³) ⑤ IOELV
HTP (FI)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 1 ppm (5 mg/m ³) ② 2 ppm (10 mg/m ³)
LT	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³) ⑤ (Kancerogeninés) K
SE	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³) ③ 15 ppm (80 mg/m ³)
NPEL (SK)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³) ② 15 ppm (80 mg/m ³)
TRGS 900 (DE)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 0.4 ppm (2 mg/m ³) ② 1.6 ppm (8 mg/m ³) ⑤ (Aerosol und Dampf, kann über die Haut aufgenommen werden) AGS, H, Y, 11, 27
DK	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³) ② 20 ppm (100 mg/m ³)
BG	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 50 mg/m ³ ② 75 mg/m ³
HR	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³)



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
ES	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (53 mg/m ³) ② 15 ppm (80 mg/m ³) ⑤ (puede ser absorbido a través dérmica)
RO	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³) ⑤ C2
EE	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³)
LV	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³)
Alberta (CA)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (52 mg/m ³) ② 15 ppm (79 mg/m ³)
BC (CA)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm ⑤ (may be absorbed through the skin) Skin; 2B
MY	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (52 mg/m ³)
IOELV (EU)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³)
VLA (FR)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³)
SI	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 50 mg/m ³ ② 50 mg/m ³ ⑤ (frakcija ki jo je mogoče vdihniti računati je treba z možnostjo prodiranja skozi kožo) K, Y, EU0
TW	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (52 mg/m ³)
KR	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³) ② 15 ppm (75 mg/m ³)
IS	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³)
CN	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 50 mg/m ³ ② 75 mg/m ³ ⑤ (#####)
RU	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	③ 20 mg/m ³
HU	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 50 mg/m ³ ⑤ i
GR	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³)
NL	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 50 mg/m ³ ② 80 mg/m ³
MAK (AT)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³) ⑤ (kann über die Haut aufgenommen werden) III B, H



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
SI	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm ② 10 ppm ⑤ (računati je treba z možnostjo prodiranja skozi kožo) K, Y, EU0
TR	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³)
IDLH (US)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 250 ppm
Québec (CA)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (52 mg/m ³) ② 15 ppm (79 mg/m ³)
OSHA (US)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³)
NIOSH (US)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m ³) ② 15 ppm (75 mg/m ³)
ACGIH (US)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (52 mg/m ³) ② 15 ppm (79 mg/m ³) ⑤ (may be absorbed through the skin)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	2.73 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	5.58	① DNEL worker ② Long-term - inhalation, local effects
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	0.97 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	25 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	25 mg/m ³	① DNEL worker ② Acute - inhalation, local effects

Substance name	PNEC Value	① PNEC type
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9	9.99 mg/kg	① PNEC secondary poisoning

8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

8.2.2. Personal protection equipment



Eye/face protection:

During transfer: Eye glasses with side protection
 Wear eye/face protection. EN 166

Skin protection:

Hand protection
 Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)
 Thickness of the glove material: $\geq 0,4$ mm
 Breakthrough time: 480 min
 Breakthrough times and swelling properties of the material must be taken into consideration.
 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
 For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
 Tested protective gloves must be worn: EN ISO 374
 Suitable protective clothing: Protective clothing

Respiratory protection:

Usually no personal respirative protection necessary.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

* 9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: green

Odour: characteristic

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	<i>not applicable</i>		
Melting point	<i>not determined</i>		
Freezing point	<i>not determined</i>		
Initial boiling point and boiling range	<i>not determined</i>		
Decomposition temperature	<i>not determined</i>		
Flash point	166 °C		
Evaporation rate	<i>not determined</i>		
Auto-ignition temperature	<i>not determined</i>		
Upper/lower flammability or explosive limits	<i>not determined</i>		
Vapour pressure	<i>not determined</i>		
Vapour density	<i>not determined</i>		
Density	833 kg/m ³	15 °C	
Relative density	<i>not determined</i>		
Bulk density	<i>not determined</i>		
Water solubility	practically insoluble		
Partition coefficient: n-octanol/water	<i>not determined</i>		
Dynamic viscosity	<i>not determined</i>		
Kinematic viscosity	20 mm ² /s	40 °C	

* 9.2. Other information

Not applicable



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions. Risk of explosion if heated under confinement.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

10.5. Incompatible materials

Materials to avoid: Acid, Oxidizing agent, Reducing agent

* 10.6. Hazardous decomposition products

Hazardous combustion products: Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x),
During heating or in case of fire, toxic gases is possible.

Further information

No information available.

SECTION 11: Toxicological information

* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1
LD₅₀ oral: 5,000 mg/kg (Rat) OECD 401
LD₅₀ dermal: 5,000 mg/kg (Rabbit) OECD 402
LC₅₀ Acute inhalation toxicity (dust/mist): 5.53 mg/L 4 h (Rat) OECD 403
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9
LD₅₀ oral: 5,000 mg/kg (Rat)
LD₅₀ dermal: >2,000 mg/kg (rabbit)
LC₅₀ Acute inhalation toxicity (dust/mist): >5.53 mg/L 4 h

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

May be fatal if swallowed and enters airways.
Observe risk of aspiration if vomiting occurs.
For viscosity data, see section 9.



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

* **11.2. Information on other hazards****Endocrine disrupting properties:**

This product contains a substance that has endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information* **12.1. Toxicity**

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1
--

LC₅₀: 100 mg/L 4 d (fish)LC₅₀: 10,000 mg/L 4 d (crustaceans)EC₅₀: 10,000 mg/L 2 d (crustaceans)

NOEC: 100 mg/L 4 d (fish)

NOEC: 100 mg/L 3 d (Algae/water plant)

NOEC: ≥100 mg/L 3 d (Algae/water plant, Algen)

Assessment/classification:

The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

Additional ecotoxicological information:

Do not allow uncontrolled discharge of product into the environment.

* **12.2. Persistence and degradability****Biodegradation:**

Not readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential**Accumulation / Evaluation:**

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

* **12.5. Results of PBT and vPvB assessment**

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1
--

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Dec-1-ene, dimers, hydrogenated CAS No.: 68649-11-6 EC No.: 500-228-5
--

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Methacrylic Copolymer CAS No.: 63150-03-8 EC No.: 613-160-7
--

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based CAS No.: 72623-86-0 EC No.: 276-737-9

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

dodecylphenol CAS No.: 27193-86-8 EC No.: 248-312-8
--

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

naphthalene CAS No.: 91-20-3 EC No.: 202-049-5

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

* **12.6. Endocrine disrupting properties**

This product contains a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Dispose of waste according to applicable legislation.



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code packaging

Remark:

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

Other disposal recommendations:

Consult the appropriate local waste disposal expert about waste disposal.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

* **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Safety data sheet available on request.

15.1.2. National regulations

 **[DE] National regulations**

Restrictions of occupation

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Störfallverordnung (12. BImSchV)

for substances contained in the product:

This product is not assigned to a hazard category.



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)**Remark:**

To follow: 5.2.5

Water hazard class**WGK:**

2 - deutlich wassergefährdend

Source:

Self-classification (mixture; calculation rule).

Identification number 436

Technische Regeln für Gefahrstoffe

TRGS 510

TRGS 500

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868

Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltöIV)

**[DK] National regulations****Other regulations, restrictions and prohibition regulations**

Dänemark: Bekendtgørelse af lov om arbejdsmiljø: Beskæftigelsesministeriets lovbekendtgørelse nr. 1072 af 7. september 2010

Lister over stoffer og processer, der anses for at være kræftfremkaldende

**[FR] National regulations****Other regulations, restrictions and prohibition regulations**

Frankreich: Tableaux de maladies professionnelles

Nomenclature des installations classées pour la protection de l'environnement

Articles L. 4523-1 à L. 4523-17, L. 4611-1 à L. 4614-16, R. 4523-1 à R. 4523-17 et R. 4612-1 à R. 4615-21 du Code du travail

**[NL] National regulations****Other regulations, restrictions and prohibition regulations**

Niederlande: Lijst vankankerverwekkende, mutagene en voor de voortplanting giftige stoffen (SZW)

Algemeene beoordelingsmethodiek Water (ABM)

Nederlandse emissierichtlijn (NeR)

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Borstvoeding

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Vruchtbaarheid

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Ontwikkeling

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

Wet van 18 maart 1999, houdende bepalingen ter verbetering van de arbeidsomstandigheden (Arbeidsomstandighedenwet)

Wet op de ondernemingsraden 1971

**[CH] National regulations****Other regulations, restrictions and prohibition regulations**

Mengenschwelle (Schweiz - StFV)

Gefahrencode

Brandverhütung, BVD (Schweiz)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

15.3. Additional information

Tactile warning according to EN/ISO 11683. Child-resistant fastenings (EN/862/ISO 8317).

SECTION 16: Other information*** 16.1. Indication of changes**

1.1.	Product identifier
1.3.	Details of the supplier of the safety data sheet
1.4.	Emergency telephone number
2.1.	Classification of the substance or mixture
2.2.	Label elements



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

2.3.	Other hazards
3.2.	Mixtures
4.1.	Description of first aid measures
4.2.	Most important symptoms and effects, both acute and delayed
4.3.	Indication of any immediate medical attention and special treatment needed
6.1.	Personal precautions, protective equipment and emergency procedures
7.1.	Precautions for safe handling
8.1.	Control parameters
9.1.	Information on basic physical and chemical properties
9.2.	Other information
10.6.	Hazardous decomposition products
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
11.2.	Information on other hazards
12.1.	Toxicity
12.2.	Persistence and degradability
12.5.	Results of PBT and vPvB assessment
12.6.	Endocrine disrupting properties
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.4.	Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]
16.5.	Relevant R-, H- and EUH-phrases (Number and full text)

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

* 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Aspiration hazard (<i>Asp. Tox. 1</i>)	H304: May be fatal if swallowed and enters airways.	Calculation method.
Serious eye damage/eye irritation (<i>Eye Irrit. 2</i>)	H319: Causes serious eye irritation.	Calculation method.

* 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.
H400	Very toxic to aquatic life.



Revision date: 15 Jul 2022 Version: 4 Print date: 15 Jul 2022

Hazard statements

H410	Very toxic to aquatic life with long lasting effects.
------	---

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version.