

RAVENOL

Revision date: 14 Jun 2022 Version: 3 Print date: 14 Jun 2022

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

* 1.1. Product identifier

Trade name/designation:

RAVENOL NDT Nord Duty Truck SAE 5W-40

Article No.: 1122103

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Lubricant

* 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): Ravensberger Schmierstoffvertrieb GmbH

Produktsicherheit Jöllenbecker Str. 2 33824 Werther Germany **Telephone:** +49 5203 9719 0 **Telefax:** +49 5203 9719 40 **E-mail:** kontakt@ravenol.de **Website:** www.ravenol.de

E-mail (competent person): sdb@ravenol.de

* 1.4. Emergency telephone number

24 hr. emergency phone number, 24h: +49 700 24 112 112 (Contract ID: RAV) / +1 872 5888271 (Contract ID: RAV)

SECTION 2: Hazards identification

* 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
· · · · · · · · · · · · · · · · · · ·	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard components for labelling:

Phenol, dodecyl-, branched

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

Supplemental hazard information: none

Precautionary statements Prevention

P273 Avoid release to the environment.

Precautionary statements Disposal

Dispose of contents/container to an appropriate recycling or disposal facility.

* 2.3. Other hazards

P501

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



RAVENOL

Revision date: 14 Jun 2022 Version: 3 Print date: 14 Jun 2022

SECTION 3: Composition/information on ingredients

* 3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

	Hazardous impurities / Stabilisers:	0
Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 36878-20-3 EC No.: 253-249-4 REACH No.: 01-2119488911-28	bis(nonylphenyl)amine The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].	1 - < 2 weight-%
CAS No.: 93819-94-4 EC No.: 298-577-9 REACH No.: 01-2119543726-33	zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) Aquatic Chronic 2 (H411), Eye Dam. 1 (H318), Skin Irrit. 2 (H315) Danger Specific concentration limit (SCL) Skin Irrit. 2; H315: $C \ge 6.25\%$ Eye Irrit. 2; H319: $C \ge 10\%$ Eye Dam. 1; H318: $C \ge 12.5\%$	0 - < 1.5 weight-%
CAS No.: 121158-58-5 EC No.: 310-154-3 Index No.: 604-092-00-9 REACH No.: 01-2119513207-49	Phenol, dodecyl-, branched Candidate List of Substances of Very High Concern for Authorisation! Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Repr. 1B (H360F), Skin Corr. 1C (H314)	0 - < 0.2 weight-%

SECTION 4: First aid measures

* 4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. Consult a doctor immediately.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

* **4.2. Most important symptoms and effects, both acute and delayed** No known symptoms to date.

* **4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically. Observe risk of aspiration if vomiting occurs.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

pa

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2) Extinguishing powder alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers.

Page 3/12

RAVENOL

Revision date: 14 Jun 2022 Version: 3 Print date: 14 Jun 2022

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), During heating or in case of fire, toxic gases is possible.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

* 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

Protective equipment:

Personal protection equipment: see section 8

Emergency procedures:

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Personal protection equipment: see section 8.

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.



RAVENOĽ

Revision date: 14 Jun 2022 Version: 3 Print date: 14 Jun 2022

Fire prevent measures:

No special fire protection measures are necessary.

Environmental precautions:

Shafts and sewers must be protected from entry of the product.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product. Keep/Store only in original container.

Hints on storage assembly:

not required

Storage class (TRGS 510, Germany): 10 – Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	 DNEL type Exposure route
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	5 mg/kg bw/ day	 DNEL worker Long-term - dermal, systemic effects
zinc bis[O-(6-methylheptyl)] bis[O-(sec- butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	8.31 mg/m³	 DNEL worker Long-term - inhalation, systemic effects
zinc bis[O-(6-methylheptyl)] bis[O-(sec- butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	2.11 mg/m³	 DNEL Consumer Long-term - inhalation, systemic effects
zinc bis[O-(6-methylheptyl)] bis[O-(sec- butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.58 mg/kg	 DNEL worker Long-term - dermal, systemic effects
zinc bis[O-(6-methylheptyl)] bis[O-(sec- butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.29 mg/kg	 DNEL Consumer Long-term - dermal, systemic effects
zinc bis[O-(6-methylheptyl)] bis[O-(sec- butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.24 mg/kg	 DNEL Consumer Long-term - oral, systemic effects
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	44.18 mg/m ³	 DNEL worker Acute - inhalation, systemic effects



Revision date: 14 Jun 2022 Version: 3 Print date: 14 Jun 2022

Substance name	DNEL value	 DNEL type Exposure route
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.25 mg/kg	 DNEL worker Long-term - dermal, systemic effects
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	166 mg/kg	 DNEL worker Acute - dermal, systemic effects
Substance name	PNEC Value	① PNEC type
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	412 μg/L	① PNEC aquatic, freshwater
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	41.2 μg/L	① PNEC aquatic, marine water
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	1 mg/L	① PNEC aquatic, intermittent release
zinc bis[O-(6-methylheptyl)] bis[O-(sec- butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	4 μg/L	① PNEC aquatic, freshwater
zinc bis[O-(6-methylheptyl)] bis[O-(sec- butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	4.6 μg/L	① PNEC aquatic, marine water
zinc bis[O-(6-methylheptyl)] bis[O-(sec- butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	100 mg/L	① PNEC sewage treatment plant
zinc bis[O-(6-methylheptyl)] bis[O-(sec- butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.012 mg/kg	① PNEC sediment, freshwater
zinc bis[O-(6-methylheptyl)] bis[O-(sec- butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.001 mg/kg	① PNEC sediment, marine water
zinc bis[O-(6-methylheptyl)] bis[O-(sec- butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9	0.005 mg/kg	① PNEC soil
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.074 μg/L	① PNEC aquatic, freshwater
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.0074 µg/L	① PNEC aquatic, marine water
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	100 mg/L	① PNEC sewage treatment plant
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.226 mg/kg	① PNEC sediment, freshwater
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.0266 mg/kg	① PNEC sediment, marine water
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.37 μg/L	① PNEC aquatic, intermittent release

* **8.2. Exposure controls**

ра

8.2.1. Appropriate engineering controls See section 7. No additional measures necessary.



RAVENOĽ

Revision date: 14 Jun 2022 Version: 3 Print date: 14 Jun 2022

8.2.2. Personal protection equipment



Eye/face protection:

During transfer: Eye glasses with side protection Wear eye/face protection. EN 166

Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber) Thickness of the glove material: >= 0.4 mm

Breakthrough time: 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing

Respiratory protection:

Usually no personal respirative protection necessary.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

* 9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid	Colour: tawny
Odour: characteristic	

Safety relevant basis data

Parameter	Value	at °C	 Method
			② Remark
рН	not applicable		
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	not determined		
Decomposition temperature	not determined		
Flash point	228 °C		
Evaporation rate	not determined		
Auto-ignition temperature	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	852 mg/m ³	15 °C	
Relative density	not determined		
Bulk density	not determined		
Water solubility	practically insoluble		
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	90.3 mm²/s	40 °C	

* 9.2. Other information

Not applicable



RAVENOL

Revision date: 14 Jun 2022 Version: 3 Print date: 14 Jun 2022

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions. Risk of explosion if heated under confinement.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

* 10.5. Incompatible materials

Materials to avoid: Acid, Oxidising agent, Reducing agent

* 10.6. Hazardous decomposition products

Hazardous combustion products: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), During heating or in case of fire, toxic gases is possible.

SECTION 11: Toxicological information

* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4

LD₅₀ oral: >5,000 mg/kg (Rat)

LD₅₀ dermal: >2,000 mg/kg (Rabbit)

LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L

zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9

LD₅₀ oral: 2,600 g/m³ (Rat)

LD₅₀ dermal: 3,160 g/m³ (Rabbit)

Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3

LD₅₀ oral: 2,100 - 2,200 mg/kg (rat)

LD₅₀ dermal: 15,000 mg/kg (rabbit)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met. **Germ cell mutagenicity:**

Germ cell mutagenicity:

Based on available data, the classification criteria are not met. **Carcinogenicity:**

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Observe risk of aspiration if vomiting occurs.

For viscosity data, see section 9.

Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.



RAVENOĽ

Revision date: 14 Jun 2022 Version: 3 Print date: 14 Jun 2022

* 11.2. Information on other hazards

Endocrine disrupting properties:

This product contains a substance that has endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information

* 12.1. Toxicity

bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4

LC₅₀: >100 mg/L 4 d (fish) EC₅₀: >100 mg/L 2 d (crustaceans)

EC₅₀: 600 mg/L 3 d (Algae/water plant)

zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-5

LC₅₀: 4.5 mg/L 4 d (fish)

EC₅₀: 5.4 mg/L 2 d (crustaceans)

EC₅₀: 2.1 mg/L 3 d (Algae/water plant)

Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3

LC₅₀: ≥40 mg/L 2 d (fish)

LC₅₀: ≥0.58 - 0.58 mg/L 4 d (crustaceans)

NOEC: ≥0.07 mg/L 3 d (Algae/water plant)

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Additional ecotoxicological information:

Do not allow uncontrolled discharge of product into the environment.

* 12.2. Persistence and degradability

bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4

Biodegradation: –

zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9 Biodegradation: Yes, slowly

Biodegradation:

Not readily biodegradable (according to OECD criteria)

* 12.3. Bioaccumulative potential

bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4

Log K_{OW}: 7.6

Bioconcentration factor (BCF): 1,584.89

zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9 Log K_{OW}: 0.9

Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3

Log K_{OW}: 7.14

Accumulation / Evaluation: The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

* 12.5. Results of PBT and vPvB assessment

bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII

zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate) CAS No.: 93819-94-4 EC No.: 298-577-9 Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



RAVENOL

Revision date: 14 Jun 2022 Version: 3 Print date: 14 Jun 2022

* 12.6. Endocrine disrupting properties

This product contains a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

Other disposal recommendations:

Consult the appropriate local waste disposal expert about waste disposal.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number		
No dangerous good in sense of these transport regulations.			
14.2. UN proper ship	ping name	·	
No dangerous good in sense of these transport regulations.			
14.3. Transport haza	rd class(es)		
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental	hazards		
not relevant	not relevant	not relevant	not relevant
14.6. Special precau	tions for user		
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive], Hazard categories:

 \bullet E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Safety data sheet available on request.

15.1.2. National regulations [DE] National regulations

Störfallverordnung

Storraliverordnung

pa

for substances contained in the product:

Hazard categories:

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) RAVENOL NDT Nord Duty Truck SAE 5W-40	Page 10/2
Revision date: 14 Jun 2022 Version: 3 Print date: 14 Jun 2022	RAVENOĽ
• E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1 Fechnische Anleitung Luft (TA-Luft) Remark: To follow: 5.2.5	
Nater hazard class WGK:	
2 - deutlich wassergefährdend Source:	
Self-classification (mixture; calculation rule). Identification number 436 echnische Regeln für Gefahrstoffe	
TRGS 510 TRGS 500	
erufsgenossenschaftliche Vorschriften (DGUV-Vorschriften) Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868 Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195	
Ther regulations, restrictions and prohibition regulations Altöl-Verordnung (AltölV)	
[DK] National regulations	
ther regulations, restrictions and prohibition regulations Dänemark: Bekendtgørelse af lov om arbejdsmiljø: Beskæftigelsesministeriets lovb 1072 af 7. september 2010	ekendtgørelse nr.
Lister over stoffer og processer, der anses for at vaere kraeftfremkaldende [FR] National regulations	
Pther regulations, restrictions and prohibition regulations Frankreich: Tableaux de maladies professionelles Nomenclature des installations classées pour la protection de l'environnement Articles L. 4523-1 à L. 4523-17, L. 4611-1 à L. 4614-16, R. 4523-1 à R. 4523-17 et F	R. 4612-1 à R. 4615-2
du Code du travail [NL] National regulations	
Other regulations, restrictions and prohibition regulations Niederlande: Lijst vank kankerverwekkende, mutagene en voor de voortplanting gi Algemeene beoordelingsmethodiek Water (ABM) Nederlandse emissierichtlijn (NeR) NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Borstvoeding NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Vruchtbaarheid NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Ontwikkeling	ftige stoffen (SZW)
SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen Wet van 18 maart 1999, houdende bepalingen ter verbetering van de arbeidsomst (Arbeidsomstandighedenwet) Wet op de ondernemingsraden 1971	andigheden
[CH] National regulations	
Other regulations, restrictions and prohibition regulations Mengenschwelle (Schweiz - StFV) Gefahrencode Brandverhütung, BVD (Schweiz)	
.5.2. Chemical Safety Assessment	
5.3. Additional information	
1.1. Product identifier	
1.3. Details of the supplier of the safety data sheet	
1.4. Emergency telephone number	
1.3. Details of the supplier of the safety data sheet	

*



RAVENOĽ

Revision date: 14 Jun 2022 Version: 3 Print date: 14 Jun 2022

2.3.	Other hazards
3.2.	Mixtures
4.1.	Description of first aid measures
4.2.	Most important symptoms and effects, both acute and delayed
4.3.	Indication of any immediate medical attention and special treatment needed
5.2.	Special hazards arising from the substance or mixture
6.1.	Personal precautions, protective equipment and emergency procedures
8.1.	Control parameters
8.2.	Exposure controls
8.3.	Additional information
9.1.	Information on basic physical and chemical properties
9.2.	Other information
10.5.	Incompatible materials
10.6.	Hazardous decomposition products
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
11.2.	Information on other hazards
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
12.6.	Endocrine disrupting properties
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.4.	Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]
16.5.	Relevant R-, H- and EUH-phrases (Number and full text)

See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006 Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

* 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

* 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements		
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H360F	May damage fertility.	
H400	Very toxic to aquatic life.	



Revision date: 14 Jun 2022 Version: 3 Print date: 14 Jun 2022

Hazard statements	
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version