



Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

## Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

RAVENOL Racing Eco Competition REC SAE 0W-40

Article No.:

1143101

UFI:

RNDF-8F85-8SSF-4AGW

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Lubricant

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Produktsicherheit

Jöllenbecker Str. 2

33824 Werther

Germany

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 40

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): sdb@ravenol.de

#### 1.4. Emergency telephone number

24 hr. emergency phone number, 24h: +49 700 24 112 112 (Contract ID: RAV) / +1 872 5888271  
(Contract ID: RAV)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	Calculation method.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

Hazard components for labelling:

C14-16-18 Alkyl phenol

Hazard statements for health hazards	
H317	May cause an allergic skin reaction.



Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

**Supplemental hazard information:** none

**Precautionary statements Prevention**

P261	Avoid breathing vapours and spray.
P280	Wear protective gloves and eye/face protection.

**Precautionary statements Response**

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.

**Precautionary statements Disposal**

P501	Dispose of contents/container to an appropriate recycling or disposal facility.
------	---

**2.3. Other hazards**

**Other adverse effects:**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous ingredients / Hazardous impurities / Stabilisers:**

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 2241366-04-9 EC No.: 832-827-5 REACH No.: 01-2120836642-54-0000	<b>Oligomerisation products of alpha-alkenes C16-18, hydrogenated, hydroisomerised</b> Asp. Tox. 1 (H304) Danger	50 - < 75 weight-%
CAS No.: 72623-87-1 EC No.: 276-738-4 REACH No.: 01-2119474889-13	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> Asp. Tox. 1 (H304) Danger <b>Specific concentration limit (SCL)</b> Asp. Tox. 1; H304: 0% ≤ C < 100%	1 - < 3 weight-%
CAS No.: 1190625-94-5 EC No.: 813-078-3 REACH No.: 01-2119498288-19	<b>C14-16-18 Alkyl phenol</b> STOT RE 2 (H373), Skin Sens. 1B (H317) Warning	0 - < 2 weight-%
CAS No.: 93819-94-4 EC No.: 298-577-9 REACH No.: 01-2119543726-33	<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> Aquatic Chronic 2 (H411), Eye Dam. 1 (H318), Skin Irrit. 2 (H315) Danger <b>Specific concentration limit (SCL)</b> Skin Irrit. 2; H315: C ≥ 6.25% Eye Irrit. 2; H319: C ≥ 10% Eye Dam. 1; H318: C ≥ 12.5%	0 - < 2 weight-%

Full text of H- and EUH-phrases: see section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information:**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

**Following inhalation:**

Provide fresh air. Consult a doctor immediately.

**In case of skin contact:**

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.

**After eye contact:**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**Following ingestion:**

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

**Self-protection of the first aider:**

Use personal protection equipment. No direct artificial respiration to be given by first aider.



Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

## 4.2. Most important symptoms and effects, both acute and delayed

May produce an allergic reaction.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Observe risk of aspiration if vomiting occurs.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO<sub>2</sub>)

Extinguishing powder

alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers.

#### Unsuitable extinguishing media:

Full water jet

### 5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

When hot, product develops flammable vapours.

#### Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>), Gases/vapours, toxic

During heating or in case of fire, toxic gases is possible.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

### 5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

##### Protective equipment:

Personal protection equipment: see section 8

##### Emergency procedures:

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information:

Treat the recovered material as prescribed in the section on waste disposal.



Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

**6.4. Reference to other sections**

Safe handling: see section 7  
 Disposal: see section 13  
 Personal protection equipment: see section 8

**6.5. Additional information**

Clear spills immediately. Use appropriate container to avoid environmental contamination.

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Protective measures**

**Advices on safe handling:**

Wear personal protection equipment (refer to section 8).  
 When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

**Fire prevent measures:**

No special fire protection measures are necessary.

**Environmental precautions:**

Shafts and sewers must be protected from entry of the product.

**Advices on general occupational hygiene**

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

**7.2. Conditions for safe storage, including any incompatibilities**

**Technical measures and storage conditions:**

Keep container tightly closed in a cool, well-ventilated place.

**Requirements for storage rooms and vessels:**

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.  
 Keep/Store only in original container.

**Hints on storage assembly:**

not required

**Storage class (TRGS 510, Germany):** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

**Further information on storage conditions:**

Store in a cool dry place. Keep away from heat.

**7.3. Specific end use(s)**

**Recommendation:**

Observe technical data sheet.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**8.1.1. Occupational exposure limit values**

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
PL from 12 Jun 2018	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (Mgła olejowa mineralny)
MAK (AT)	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (Ölnebel, mineralisch (einatembare Fraktion))



Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
BE	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (Brouillard d'huile minéral)
Québec (CA)	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ② 10 mg/m <sup>3</sup> ⑤ (Oil mist mineral)
HU from 28 May 2022	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (Olajköd ásványi) T
SE	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m <sup>3</sup> ② 3 mg/m <sup>3</sup> ⑤ (Oljeånga eller rök)
ES	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ② 10 mg/m <sup>3</sup> ⑤ (Niebla de aceite mineral) am
NL	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (Olienevel mineraal)
OSHA (US)	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (Oil mist mineral)
NIOSH (US)	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ② 10 mg/m <sup>3</sup> ⑤ (Oil mist mineral)
ACGIH (US) from 1 Jan 2010	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (Oil mist mineral, inhalable fraction)
CZ	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ② 10 mg/m <sup>3</sup> ⑤ (Rozprašený olej (olejová mlhovina) minerální)
NO	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m <sup>3</sup> ⑤ (Oljetåke mineralsk)
NPEL (SK) from 23 Nov 2011	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 ppm (1 mg/m <sup>3</sup> ) ② 15 ppm (3 mg/m <sup>3</sup> ) ⑤ (Olejová hmlovina minerálny)
Alberta (CA)	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ② 10 mg/m <sup>3</sup> ⑤ (Oil mist mineral)
HTP (FI)	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (Öljysumu)
LT	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m <sup>3</sup> ② 3 mg/m <sup>3</sup> ⑤ (Tepalo rūkas arba dūmai)



Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
BC (CA) from 1 Jan 2007	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 0.2 mg/m <sup>3</sup> ⑤ (Oil mist mineral) 1
MY from 1 Jan 2000	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (Kabus minyak mineral)
BC (CA) from 1 Jan 2007	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m <sup>3</sup> ⑤ (Oil mist mineral, severely refined)
TW	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (## ##)
GR from 1 Oct 2016	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (Εκκνέφωμα λαδιού, ορυκτό)
MY from 1 Jan 2000	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 10 mg/m <sup>3</sup> ⑤ (Kabus minyak, vegetal)
RO from 21 Aug 2018	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ② 10 mg/m <sup>3</sup> ⑤ (Ceata uleioasa mineral)
CH from 1 Jan 2022	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (einatembare Fraktion) C2; Tox: Lunge; Messmeth: NIOSH DFG
LV from 12 Jul 2018	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (Eļļas migla)
JP	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 3 mg/m <sup>3</sup> ⑤ (##### ##)
IDLH (US) from 1 Jan 1994	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 2,500 mg/m <sup>3</sup>
IE from 1 Apr 2016	<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m <sup>3</sup> ⑤ (Oil mist mineral, inhalable fraction)

### 8.1.2. Biological limit values

No data available



Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>Oligomerisation products of alpha-alkenes C16-18, hydrogenated, hydroisomerised</b> CAS No.: 2241366-04-9 EC No.: 832-827-5	32.9 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>Oligomerisation products of alpha-alkenes C16-18, hydrogenated, hydroisomerised</b> CAS No.: 2241366-04-9 EC No.: 832-827-5	46.7 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>C14-16-18 Alkyl phenol</b> CAS No.: 1190625-94-5 EC No.: 813-078-3	1.17 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>C14-16-18 Alkyl phenol</b> CAS No.: 1190625-94-5 EC No.: 813-078-3	0.3 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9	8.31 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9	2.11 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9	0.58 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9	0.29 mg/kg	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9	0.24 mg/kg	① DNEL Consumer ② Long-term - oral, systemic effects

Substance name	PNEC Value	① PNEC type
<b>C14-16-18 Alkyl phenol</b> CAS No.: 1190625-94-5 EC No.: 813-078-3	100 µg/L	① PNEC aquatic, freshwater
<b>C14-16-18 Alkyl phenol</b> CAS No.: 1190625-94-5 EC No.: 813-078-3	10 µg/L	① PNEC aquatic, marine water
<b>C14-16-18 Alkyl phenol</b> CAS No.: 1190625-94-5 EC No.: 813-078-3	100 mg/L	① PNEC sewage treatment plant
<b>C14-16-18 Alkyl phenol</b> CAS No.: 1190625-94-5 EC No.: 813-078-3	852.58 mg/kg bw/day	① PNEC soil
<b>C14-16-18 Alkyl phenol</b> CAS No.: 1190625-94-5 EC No.: 813-078-3	3.3 mg/kg bw/day	① PNEC secondary poisoning
<b>C14-16-18 Alkyl phenol</b> CAS No.: 1190625-94-5 EC No.: 813-078-3	1 mg/L	① PNEC aquatic, intermittent release
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9	4 µg/L	① PNEC aquatic, freshwater





Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

Substance name	PNEC Value	① PNEC type
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9	4.6 µg/L	① PNEC aquatic, marine water
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9	100 mg/L	① PNEC sewage treatment plant
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9	0.012 mg/kg	① PNEC sediment, freshwater
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9	0.001 mg/kg	① PNEC sediment, marine water
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9	0.005 mg/kg	① PNEC soil

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

### 8.2.2. Personal protection equipment



#### Eye/face protection:

During transfer: Eye glasses with side protection  
 Wear eye/face protection. EN 166

#### Skin protection:

Hand protection  
 Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)  
 Thickness of the glove material: ≥ 0,4 mm  
 Breakthrough time: 480 min  
 Breakthrough times and swelling properties of the material must be taken into consideration.  
 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.  
 For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.  
 Tested protective gloves must be worn: EN ISO 374  
 Suitable protective clothing: Protective clothing

#### Respiratory protection:

Usually no personal respirative protection necessary.

### 8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** brown

**Odour:** characteristic

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	<i>not applicable</i>		
Melting point	<i>not determined</i>		
Freezing point	<i>not determined</i>		





Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

Parameter	Value	at °C	① Method ② Remark
Initial boiling point and boiling range	<i>not determined</i>		
Decomposition temperature	<i>not determined</i>		
Flash point	236 °C		
Evaporation rate	<i>not determined</i>		
Auto-ignition temperature	<i>not determined</i>		
Upper/lower flammability or explosive limits	<i>not determined</i>		
Vapour pressure	<i>not determined</i>		
Vapour density	<i>not determined</i>		
Density	845 kg/m <sup>3</sup>	15 °C	
Relative density	<i>not determined</i>		
Bulk density	<i>not determined</i>		
Water solubility	practically insoluble		
Partition coefficient: n-octanol/water	<i>not applicable</i>		
Dynamic viscosity	<i>not determined</i>		
Kinematic viscosity	76 mm <sup>2</sup> /s	40 °C	

## 9.2. Other information

Not applicable

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No known hazardous reactions. Risk of explosion if heated under confinement.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

### 10.5. Incompatible materials

Materials to avoid: Acid, Oxidizing agent, Reducing agent

### 10.6. Hazardous decomposition products

Hazardous combustion products: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>),  
 During heating or in case of fire, toxic gases is possible.

### Further information

No information available.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Oligomerisation products of alpha-alkenes C16-18, hydrogenated, hydroisomerised

CAS No.: 2241366-04-9 EC No.: 832-827-5

**LD<sub>50</sub> oral:** >2,000 mg/kg (Rat)

**LD<sub>50</sub> dermal:** >2,000 mg/kg (Rat)

**LC<sub>50</sub> Acute inhalation toxicity (dust/mist):** >5 mg/L (Rat)

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4

**LD<sub>50</sub> oral:** >5,000 mg/kg (Rat) OECD 401

**LD<sub>50</sub> dermal:** >2,000 mg/kg (Rabbit) OECD 402

**LC<sub>50</sub> Acute inhalation toxicity (dust/mist):** >5 mg/L

#### C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 813-078-3

**LD<sub>50</sub> oral:** >2,000 mg/kg (rat) OECD 423

**LD<sub>50</sub> dermal:** >2,000 mg/kg (rat) OECD 402



Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9
<b>LD<sub>50</sub> oral:</b> 2,600 g/m <sup>3</sup> (Rat)
<b>LD<sub>50</sub> dermal:</b> 3,160 g/m <sup>3</sup> (Rabbit)

**Acute oral toxicity:**

Based on available data, the classification criteria are not met.

**Acute dermal toxicity:**

Based on available data, the classification criteria are not met.

**Acute inhalation toxicity:**

Based on available data, the classification criteria are not met.

**Skin corrosion/irritation:**

Based on available data, the classification criteria are not met.

**Serious eye damage/irritation:**

Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation:**

May cause an allergic skin reaction.

**Germ cell mutagenicity:**

Based on available data, the classification criteria are not met.

**Carcinogenicity:**

Based on available data, the classification criteria are not met.

**Reproductive toxicity:**

Based on available data, the classification criteria are not met.

**STOT-single exposure:**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

**Aspiration hazard:**

Observe risk of aspiration if vomiting occurs.  
 For viscosity data, see section 9.

**Additional information:**

Frequently or prolonged contact with skin may cause dermal irritation.

**11.2. Information on other hazards**

**Endocrine disrupting properties:**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**Other information:**

No data available.

**SECTION 12: Ecological information**

**12.1. Toxicity**

<b>Oligomerisation products of alpha-alkenes C16-18, hydrogenated, hydroisomerised</b> CAS No.: 2241366-04-9 EC No.: 832-827-5
<b>NOEC:</b> ≥100 mg/L 28 d (fish)
<b>NOEC:</b> ≥100 mg/L 2 d (crustaceans)
<b>NOEC:</b> ≥100 mg/L 3 d (Algae/water plant)
<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4
<b>EC<sub>50</sub>:</b> >100 mg/L 2 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201
<b>EC<sub>50</sub>:</b> >10,000 mg/L 2 d (crustaceans, Daphnia magna (Big water flea)) OECD 202
<b>NOEC:</b> 10 mg/L 21 d (crustaceans, Daphnia magna (Big water flea)) OECD 211
<b>NOEC:</b> >100 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201
<b>NOEC:</b> >100 mg/L 4 d (fish, Pimephales promelas (fathead minnow))
<b>C14-16-18 Alkyl phenol</b> CAS No.: 1190625-94-5 EC No.: 813-078-3
<b>LC<sub>50</sub>:</b> >100 mg/L 4 d (fish, Cyprinus carpio) OECD 203
<b>EC<sub>50</sub>:</b> >100 mg/L 2 d (crustaceans, invertebrates) OECD 202
<b>ErC<sub>50</sub>:</b> >100 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201



Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9
<b>LC<sub>50</sub>:</b> 4.5 mg/L 4 d (fish)
<b>EC<sub>50</sub>:</b> 5.4 mg/L 2 d (crustaceans)
<b>EC<sub>50</sub>:</b> 2.1 mg/L 3 d (Algae/water plant)

#### Assessment/classification:

The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

#### Additional ecotoxicological information:

Do not allow uncontrolled discharge of product into the environment.

### 12.2. Persistence and degradability

<b>Oligomerisation products of alpha-alkenes C16-18, hydrogenated, hydroisomerised</b> CAS No.: 2241366-04-9 EC No.: 832-827-5
<b>Biodegradation:</b> Yes, rapidly
<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4
<b>Biodegradation:</b> Yes, slowly
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9
<b>Biodegradation:</b> Yes, slowly

#### Biodegradation:

The organic part of the product is biodegradable.

### 12.3. Bioaccumulative potential

<b>Oligomerisation products of alpha-alkenes C16-18, hydrogenated, hydroisomerised</b> CAS No.: 2241366-04-9 EC No.: 832-827-5
<b>Log K<sub>ow</sub>:</b> 8.714
<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4
<b>Log K<sub>ow</sub>:</b> 6
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9
<b>Log K<sub>ow</sub>:</b> 0.9

#### Partition coefficient: n-octanol/water:

not applicable

#### Accumulation / Evaluation:

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

<b>Oligomerisation products of alpha-alkenes C16-18, hydrogenated, hydroisomerised</b> CAS No.: 2241366-04-9 EC No.: 832-827-5
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil</b> CAS No.: 72623-87-1 EC No.: 276-738-4
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>C14-16-18 Alkyl phenol</b> CAS No.: 1190625-94-5 EC No.: 813-078-3
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
<b>zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)</b> CAS No.: 93819-94-4 EC No.: 298-577-9
<b>Results of PBT and vPvB assessment:</b> This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation.



Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

**13.1.1. Product/Packaging disposal**

**Waste codes/waste designations according to EWC/AVV**

**Waste code packaging**

**Remark:**

Dispose of waste according to applicable legislation.

**Waste treatment options**

**Appropriate disposal / Product:**

Dispose of waste according to applicable legislation.

**Appropriate disposal / Package:**

Non-contaminated packages may be recycled.

**Other disposal recommendations:**

Consult the appropriate local waste disposal expert about waste disposal.

**13.2. Additional information**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

**14.7. Maritime transport in bulk according to IMO instruments**

Not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU legislation**

**Other regulations (EU):**

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

**Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:**

Volatile organic compounds (VOC) content in percent by weight: 4.3 weight-%

**15.1.2. National regulations**

 **[DE] National regulations**

**Restrictions of occupation**

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

**Störfallverordnung (12. BImSchV)**

**for substances contained in the product:**

This product is not assigned to a hazard category.



Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

### Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

**Remark:**

To follow: 5.2.5

**Water hazard class**

**WGK:**

1 - slightly hazardous to water

**Source:**

Self-classification (mixture; calculation rule).  
Identification number 436

**Technische Regeln für Gefahrstoffe**

TRGS 510  
TRGS 500

**Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)**

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868  
Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

**Other regulations, restrictions and prohibition regulations**

Altöl-Verordnung (AltöIV)

 **[DK] National regulations**

**Other regulations, restrictions and prohibition regulations**

Dänemark: Bekendtgørelse af lov om arbejdsmiljø: Beskæftigelsesministeriets lovbekendtgørelse nr. 1072 af 7. september 2010  
Lister over stoffer og processer, der anses for at være kræftfremkaldende

 **[FR] National regulations**

**Other regulations, restrictions and prohibition regulations**

Frankreich: Tableaux de maladies professionnelles  
Nomenclature des installations classées pour la protection de l'environnement  
Articles L. 4523-1 à L. 4523-17, L. 4611-1 à L. 4614-16, R. 4523-1 à R. 4523-17 et R. 4612-1 à R. 4615-21  
du Code du travail

 **[NL] National regulations**

**Other regulations, restrictions and prohibition regulations**

Niederlande: Lijst vankankerverwekkende, mutagene en voor de voortplanting giftige stoffen (SZW)  
Algemeene beoordelingsmethodiek Water (ABM)  
Nederlandse emissierichtlijn (NeR)  
NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Borstvoeding  
NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Vruchtbaarheid  
NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Ontwikkeling  
SZW-lijst van kankerverwekkende stoffen  
SZW-lijst van mutagene stoffen  
Wet van 18 maart 1999, houdende bepalingen ter verbetering van de arbeidsomstandigheden  
(Arbeidsomstandighedenwet)  
Wet op de ondernemingsraden 1971

 **[CH] National regulations**

**Other regulations, restrictions and prohibition regulations**

Mengenschwelle (Schweiz - StFV)  
Gefahrencode  
Brandverhütung, BVD (Schweiz)

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### 15.3. Additional information

No data available.

## SECTION 16: Other information

### 16.1. Indication of changes

Not applicable

### 16.2. Abbreviations and acronyms

See overview table at [www.euphrac.eu](http://www.euphrac.eu)

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).



Revision date: 16 May 2023 Version: 1 Print date: 16 May 2023

### 16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive  
1999/45/EEC - Dangerous Preparations Directive  
EC 1907/2006 - REACH Regulation  
1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006  
Regulation (EC) No 1907/2006 (REACH), Annex II  
European Chemicals Agency (ECHA), C & L classification and labeling inventory  
European Chemicals Agency (ECHA), ECHA CHEM Registered substances  
OECD The Global Portal to Information on Chemical Substances (ChemPortal)  
Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances  
Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation ( <i>Skin Sens. 1</i> )	H317: May cause an allergic skin reaction.	Calculation method.

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.