



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

## Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

RAVENOL Scooter Gear Oil SAE 80W-90

Article No.:

1222202

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Lubricant

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Produktsicherheit  
Jöllenbecker Str. 2  
33824 Werther  
Germany

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 40

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): sdb@ravenol.de

#### 1.4. Emergency telephone number

24 hr. emergency phone number, 24h: +49 700 24 112 112 (Contract ID: RAV) / +1 872 5888271  
(Contract ID: RAV)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: none

##### Supplemental hazard information

|        |   |
|--------|---|
| EUH210 | Safety data sheet available on request. |
|--------|---|

Precautionary statements: none

#### 2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

| Product identifiers  | Substance name<br>Classification according to Regulation (EC) No 1272/2008 [CLP]   | Concentration       |
|--|--|---------------------|
| CAS No.: 64742-54-7<br>EC No.: 265-157-1<br>REACH No.:<br>01-2119484627-25                                 | <b>Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified</b><br>Asp. Tox. 1 (H304)<br>Danger  | 10 - < 25 weight-%  |
| CAS No.: 101316-72-7<br>EC No.: 309-877-7<br>REACH No.:<br>01-2119489969-06                                | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. | 10 - < 25 weight-%  |
| CAS No.: 64742-47-8<br>EC No.: 920-107-4<br>Index No.: 649-422-00-2<br>REACH No.:<br>01-2119453414-43-0000 | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>Asp. Tox. 1 (H304)<br>Danger   | 0 - < 0.05 weight-% |
| CAS No.: 110-25-8<br>EC No.: 203-749-3<br>REACH No.:<br>01-2119488991-20                                   | <b>(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine</b><br>Acute Tox. 4 (H332), Aquatic Acute 1 (H400), Eye Dam. 1 (H318), Skin Irrit. 2 (H315)<br>Danger                               | 0 - < 0.04 weight-% |

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air. Consult a doctor immediately.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.

#### After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### Following ingestion:

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

#### Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

### 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Observe risk of aspiration if vomiting occurs.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO<sub>2</sub>)

Extinguishing powder

alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers.

#### Unsuitable extinguishing media:

Full water jet



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

## 5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.  
The formation of combustible vapours is possible at temperatures above: Flash point

### Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>),  
During heating or in case of fire, toxic gases is possible.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

## 5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

#### Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

#### Protective equipment:

Personal protection equipment: see section 8

#### Emergency procedures:

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.

### 6.1.2. For emergency responders

#### Personal protection equipment:

Use personal protection equipment.

## 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3. Methods and material for containment and cleaning up

#### For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids  
Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information:

Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7  
Disposal: see section 13  
Personal protection equipment: see section 8

## 6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

### Protective measures

#### Advices on safe handling:

Personal protection equipment: see section 8.  
When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

#### Fire prevent measures:

No special fire protection measures are necessary.



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

**Environmental precautions:**

Shafts and sewers must be protected from entry of the product.

**Advices on general occupational hygiene**

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

**7.2. Conditions for safe storage, including any incompatibilities**

**Technical measures and storage conditions:**

Keep container tightly closed in a cool, well-ventilated place.

**Requirements for storage rooms and vessels:**

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.

**Hints on storage assembly:**

not required

**Storage class (TRGS 510, Germany):** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

**Further information on storage conditions:**

Store in a cool dry place. Keep away from heat.

**7.3. Specific end use(s)**

**Recommendation:**

Observe technical data sheet.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**8.1.1. Occupational exposure limit values**

| Limit value type (country of origin) | Substance name   | ① Long-term occupational exposure limit value<br>② Short-term occupational exposure limit value<br>③ Instantaneous value<br>④ Monitoring and observation processes<br>⑤ Remark |
|--------------------------------------|--|--|
| PL<br>from 12 Jun 2018               | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (Mgła olejowa mineralny)  |
| MAK (AT)                             | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (Ölnebel, mineralisch (einatembare Fraktion))   |
| BE                                   | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (Brouillard d'huile minéral)  |
| Québec (CA)                          | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>② 10 mg/m <sup>3</sup><br>⑤ (Oil mist mineral)  |
| HU<br>from 28 May 2022               | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (Olajköd ásványi) T   |
| SE                                   | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 1 mg/m <sup>3</sup><br>② 3 mg/m <sup>3</sup><br>⑤ (Oljeånga eller rök)   |



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

| Limit value type (country of origin) | Substance name   | ① Long-term occupational exposure limit value<br>② Short-term occupational exposure limit value<br>③ Instantaneous value<br>④ Monitoring and observation processes<br>⑤ Remark |
|--------------------------------------|--|--|
| ES                                   | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>② 10 mg/m <sup>3</sup><br>⑤ (Niebla de aceite mineral) am   |
| NL                                   | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (Olienevel mineraal)  |
| OSHA (US)                            | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (Oil mist mineral)  |
| NIOSH (US)                           | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>② 10 mg/m <sup>3</sup><br>⑤ (Oil mist mineral)  |
| ACGIH (US) from 1 Jan 2010           | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (Oil mist mineral, inhalable fraction)  |
| CZ                                   | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>② 10 mg/m <sup>3</sup><br>⑤ (Rozprášený olej (olejová mlhovina) minerální)  |
| NO                                   | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 1 mg/m <sup>3</sup><br>⑤ (Oljetåke mineralsk)  |
| NPEL (SK) from 23 Nov 2011           | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 ppm (1 mg/m <sup>3</sup> )<br>② 15 ppm (3 mg/m <sup>3</sup> )<br>⑤ (Olejová hmlovina minerálny)  |
| Alberta (CA)                         | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>② 10 mg/m <sup>3</sup><br>⑤ (Oil mist mineral)  |
| HTP (FI)                             | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (Oljeånga)  |
| LT                                   | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 1 mg/m <sup>3</sup><br>② 3 mg/m <sup>3</sup><br>⑤ (Tepalo rūkas arba dūmai)  |
| BC (CA) from 1 Jan 2007              | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 0.2 mg/m <sup>3</sup><br>⑤ (Oil mist mineral) 1  |



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

| Limit value type (country of origin) | Substance name   | ① Long-term occupational exposure limit value<br>② Short-term occupational exposure limit value<br>③ Instantaneous value<br>④ Monitoring and observation processes<br>⑤ Remark |
|--------------------------------------|--|--|
| MY<br>from 1 Jan 2000                | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (Kabus minyak mineral)  |
| BC (CA)<br>from 1 Jan 2007           | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 1 mg/m <sup>3</sup><br>⑤ (Oil mist mineral, severely refined)  |
| TW                                   | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (## ##)   |
| GR<br>from 1 Oct 2016                | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (Εκκνέφωμα λαδιού, ορυκτό)  |
| MY<br>from 1 Jan 2000                | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 10 mg/m <sup>3</sup><br>⑤ (Kabus minyak, vegetal)  |
| RO<br>from 21 Aug 2018               | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>② 10 mg/m <sup>3</sup><br>⑤ (Ceata uleiōasa mineral)  |
| CH<br>from 1 Jan 2022                | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (einatembare Fraktion) C2; Tox: Lunge; Messmeth: NIOSH DFG  |
| LV<br>from 12 Jul 2018               | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (Eļļas migla)   |
| JP                                   | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 3 mg/m <sup>3</sup><br>⑤ (Oil mist mineral)  |
| IDLH (US)<br>from 1 Jan 1994         | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 2,500 mg/m <sup>3</sup>  |
| IE<br>from 1 Apr 2016                | <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | ① 5 mg/m <sup>3</sup><br>⑤ (Oil mist mineral, inhalable fraction)  |
| TRGS 900 (DE)<br>from 30 Nov 2017    | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4   | ① 300 mg/m <sup>3</sup><br>② 600 mg/m <sup>3</sup><br>⑤ (C9-C14 Aliphaten)   |



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

| Limit value type (country of origin) | Substance name   | ① Long-term occupational exposure limit value<br>② Short-term occupational exposure limit value<br>③ Instantaneous value<br>④ Monitoring and observation processes<br>⑤ Remark  |
|--------------------------------------|--|---|
| VLA (FR)                             | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 1,000 mg/m <sup>3</sup><br>② 1,500 mg/m <sup>3</sup><br>⑤ (hydrocarbures C9-C12)  |
| NO                                   | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 50 ppm (275 mg/m <sup>3</sup> )<br>⑤ (White Spirit (aromatinnhold < 22 %))  |
| DFG (DE)<br>from 1 Jul 2015          | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 5 mg/m <sup>3</sup><br>② 20 mg/m <sup>3</sup><br>⑤ (Aerosol, alveolengängige Fraktion)  |
| MAK (AT)                             | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 200 mL/m <sup>3</sup><br>② 400 mL/m <sup>3</sup><br>⑤ (für Kohlenwasserstoffgemische mit einem Gehalt an aromatischen Kohlenwasserstoffen von weniger als 1 %, an n-Hexan von weniger als 5 % und an Cyclo-/ Isohexanen von weniger als 25 %) |
| MAK (AT)                             | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 170 mL/m <sup>3</sup><br>② 340 mL/m <sup>3</sup><br>⑤ (für Kohlenwasserstoffgemische mit einem Gehalt an aromatischen Kohlenwasserstoffen von weniger als 1 %, an n-Hexan von weniger als 5 % und an Cyclo-/ Isohexanen von 25 % oder mehr)   |
| WEL (GB)                             | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 1,200 mg/m <sup>3</sup><br>⑤ (> or = C7, Normal and branched chain alkanes)   |
| WEL (GB)                             | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 800 mg/m <sup>3</sup><br>⑤ (> or = C7, Cycloalkanes)  |
| DFG (DE)<br>from 1 Jul 2015          | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 50 ppm (350 mg/m <sup>3</sup> )<br>② 100 ppm (700 mg/m <sup>3</sup> )<br>⑤ (Dampf)  |
| RU                                   | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 100 mg/m <sup>3</sup><br>③ 300 mg/m <sup>3</sup>  |
| CH<br>from 1 Jan 2022                | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 50 ppm (350 mg/m <sup>3</sup> )<br>② 100 ppm (700 mg/m <sup>3</sup> )<br>⑤ (Dampf) SSC; Tox: ZNS; Messmeth: OSHA  |
| SI<br>from 4 Dec 2018                | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 700 mg/m <sup>3</sup>   |
| RO<br>from 21 Aug 2018               | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 700 mg/m <sup>3</sup><br>② 1,000 mg/m <sup>3</sup>  |
| CH<br>from 1 Jan 2022                | <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b><br>CAS No.: 64742-47-8<br>EC No.: 920-107-4 | ① 5 mg/m <sup>3</sup><br>⑤ (Aerosol; einatembare Fraktion) SSC; Tox: Lunge  |
| TRGS 900 (DE)<br>from 29 Mar 2019    | <b>(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine</b><br>CAS No.: 110-25-8<br>EC No.: 203-749-3                                 | ① 0.05 mg/m <sup>3</sup><br>② 0.1 mg/m <sup>3</sup><br>⑤ (einatembare Fraktion) DFG   |



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

| Limit value type (country of origin) | Substance name   | ① Long-term occupational exposure limit value<br>② Short-term occupational exposure limit value<br>③ Instantaneous value<br>④ Monitoring and observation processes<br>⑤ Remark |
|--------------------------------------|--|--|
| CH<br>from 1 Jan 2022                | <b>(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine</b><br>CAS No.: 110-25-8<br>EC No.: 203-749-3 | ① 0.1 mg/m <sup>3</sup><br>② 0.2 mg/m <sup>3</sup><br>⑤ (einatembare Fraktion) Tox: Lunge  |

### 8.1.2. Biological limit values

No data available

### 8.1.3. DNEL-/PNEC-values

| Substance name   | DNEL value             | ① DNEL type<br>② Exposure route                             |
|--|------------------------|---|
| <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | 2.73 mg/m <sup>3</sup> | ① DNEL worker<br>② Long-term - inhalation, systemic effects |
| <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | 5.58 mg/m <sup>3</sup> | ① DNEL worker<br>② Long-term - inhalation, local effects    |
| <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | 0.97 mg/kg bw/day      | ① DNEL worker<br>② Long-term - dermal, systemic effects     |
| <b>(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine</b><br>CAS No.: 110-25-8<br>EC No.: 203-749-3                                   | 0.2 mg/m <sup>3</sup>  | ① DNEL worker<br>② Long-term - inhalation, systemic effects |

| Substance name   | PNEC Value        | ① PNEC type                |
|--|-------------------|----------------------------|
| <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b><br>CAS No.: 101316-72-7<br>EC No.: 309-877-7 | 9.33 mg/kg bw/day | ① PNEC secondary poisoning |

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

### 8.2.2. Personal protection equipment



#### Eye/face protection:

During transfer: Eye glasses with side protection  
 Wear eye/face protection. EN 166

#### Skin protection:

Hand protection  
 Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)  
 Thickness of the glove material: ≥ 0,4 mm  
 Breakthrough time: 480 min  
 Breakthrough times and swelling properties of the material must be taken into consideration.  
 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.  
 For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.  
 Tested protective gloves must be worn: EN ISO 374





Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

Suitable protective clothing: Protective clothing

**Respiratory protection:**

Usually no personal respirative protection necessary.

**8.2.3. Environmental exposure controls**

See section 7. No additional measures necessary.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**Appearance**

**Physical state:** Liquid

**Colour:** tawny

**Odour:** characteristic

**Safety relevant basis data**

| Parameter                                    | Value                    | at °C | ① Method<br>② Remark |
|--|--------------------------|-------|----------------------|
| pH   | <i>not applicable</i>    |       |                      |
| Melting point                                | <i>not determined</i>    |       |                      |
| Freezing point                               | <i>not determined</i>    |       |                      |
| Initial boiling point and boiling range      | <i>not determined</i>    |       |                      |
| Decomposition temperature                    | <i>not determined</i>    |       |                      |
| Flash point                                  | 218 °C                   |       |                      |
| Evaporation rate                             | <i>not determined</i>    |       |                      |
| Auto-ignition temperature                    | <i>not determined</i>    |       |                      |
| Upper/lower flammability or explosive limits | <i>not determined</i>    |       |                      |
| Vapour pressure                              | <i>not determined</i>    |       |                      |
| Vapour density                               | <i>not determined</i>    |       |                      |
| Density                                      | 880.1 kg/m <sup>3</sup>  |       |                      |
| Relative density                             | <i>not determined</i>    |       |                      |
| Bulk density                                 | <i>not determined</i>    |       |                      |
| Water solubility                             | practically insoluble    |       |                      |
| Partition coefficient: n-octanol/water       | <i>not determined</i>    |       |                      |
| Dynamic viscosity                            | <i>not determined</i>    |       |                      |
| Kinematic viscosity                          | 131.8 mm <sup>2</sup> /s | 40 °C |                      |

**9.2. Other information**

Not applicable

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No known hazardous reactions. Risk of explosion if heated under confinement.

**10.2. Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4. Conditions to avoid**

To avoid thermal decomposition do not overheat.

**10.5. Incompatible materials**

Materials to avoid: Acid, Oxidising agent, Reducing agent

**10.6. Hazardous decomposition products**

Hazardous combustion products: Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NO<sub>x</sub>),  
During heating or in case of fire, toxic gases is possible.



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|  |
|--|
| <b>Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified</b> CAS No.: 64742-54-7<br>EC No.: 265-157-1 |
| <b>LD<sub>50</sub> oral:</b> 5,000 mg/kg (Rat) OECD 401  |
| <b>LD<sub>50</sub> dermal:</b> 5,000 mg/kg (Rabbit) OECD 402   |
| <b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> 5.53 mg/L 4 h (Rat) OECD 403                                       |
| <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b> CAS No.: 101316-72-7<br>EC No.: 309-877-7      |
| <b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat)  |
| <b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rabbit)   |
| <b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> >5 mg/L (Rat)  |
| <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b> CAS No.: 64742-47-8<br>EC No.: 920-107-4        |
| <b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat)  |
| <b>LD<sub>50</sub> dermal:</b> >5,000 mg/kg (Rabbit)   |
| <b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> 4,951 mg/L 4 h  |
| <b>(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine</b> CAS No.: 110-25-8 EC No.: 203-749-3   |
| <b>LD<sub>50</sub> oral:</b> 9,200 mg/kg (Rat)   |
| <b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> 1.37 mg/L 4 h (Ratte)   |

**Acute oral toxicity:**

Based on available data, the classification criteria are not met.

**Acute dermal toxicity:**

Based on available data, the classification criteria are not met.

**Acute inhalation toxicity:**

Based on available data, the classification criteria are not met.

**Skin corrosion/irritation:**

Based on available data, the classification criteria are not met.

**Serious eye damage/irritation:**

Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation:**

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity:**

Based on available data, the classification criteria are not met.

**Carcinogenicity:**

Based on available data, the classification criteria are not met.

**Reproductive toxicity:**

Based on available data, the classification criteria are not met.

**STOT-single exposure:**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

**Aspiration hazard:**

Observe risk of aspiration if vomiting occurs.

For viscosity data, see section 9.

**Additional information:**

Frequently or prolonged contact with skin may cause dermal irritation.

### 11.2. Information on other hazards

**Endocrine disrupting properties:**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**Other information:**

No data available.



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

## SECTION 12: Ecological information

### 12.1. Toxicity

|  |
|--|
| <b>Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified</b> CAS No.: 64742-54-7<br>EC No.: 265-157-1 |
| <b>LC<sub>50</sub></b> : 100 mg/L 4 d (fish)   |
| <b>LC<sub>50</sub></b> : 10,000 mg/L 4 d (crustaceans)   |
| <b>EC<sub>50</sub></b> : 10,000 mg/L 2 d (crustaceans)   |
| <b>NOEC</b> : 100 mg/L 4 d (fish)  |
| <b>NOEC</b> : 100 mg/L 3 d (Algae/water plant)   |
| <b>NOEC</b> : ≥100 mg/L 3 d (Algae/water plant, Algen)   |
| <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b> CAS No.: 64742-47-8<br>EC No.: 920-107-4        |
| <b>LC<sub>50</sub></b> : >100 mg/L 4 d (fish, Oncorhynchus mykiss (Rainbow trout))   |
| <b>EC<sub>50</sub></b> : >100 mg/L 2 d (crustaceans, Daphnia magna (Big water flea))   |
| <b>ErC<sub>50</sub></b> : >100 mg/L 3 d (Algae/water plant, Skeletonema costatum)  |
| <b>(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine</b> CAS No.: 110-25-8 EC No.: 203-749-3   |
| <b>LC<sub>50</sub></b> : 3.2 - 4.6 mg/L 4 d (fish, Leuciscus idus (golden orfe))   |
| <b>EC<sub>50</sub></b> : 0.53 mg/L 2 d (crustaceans)   |
| <b>EC<sub>50</sub></b> : 5.1 mg/L 3 d (Algae/water plant)  |

#### Assessment/classification:

The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

#### Additional ecotoxicological information:

Do not allow uncontrolled discharge of product into the environment.

### 12.2. Persistence and degradability

|   |
|---|
| <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b> CAS No.: 101316-72-7<br>EC No.: 309-877-7 |
| <b>Biodegradation</b> : not determined  |
| <b>Remark</b> : The base oil / mineral oil used has a value of less than 3% DMSO, so it is not classified as a carcinogen.  |
| <b>(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine</b> CAS No.: 110-25-8 EC No.: 203-749-3                                      |
| <b>Biodegradation</b> : Yes, rapidly  |

#### Biodegradation:

Not readily biodegradable (according to OECD criteria)

### 12.3. Bioaccumulative potential

|   |
|---|
| <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b> CAS No.: 64742-47-8<br>EC No.: 920-107-4 |
| <b>Log K<sub>ow</sub></b> : 7   |
| <b>(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine</b> CAS No.: 110-25-8 EC No.: 203-749-3                                    |
| <b>Log K<sub>ow</sub></b> : 6.83  |

#### Accumulation / Evaluation:

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

|  |
|--|
| <b>Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified</b> CAS No.: 64742-54-7<br>EC No.: 265-157-1 |
| <b>Results of PBT and vPvB assessment</b> : This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.             |
| <b>Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated</b> CAS No.: 101316-72-7<br>EC No.: 309-877-7      |
| <b>Results of PBT and vPvB assessment</b> : This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.             |
| <b>Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics</b> CAS No.: 64742-47-8<br>EC No.: 920-107-4        |
| <b>Results of PBT and vPvB assessment</b> : This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.             |



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

**(Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine** CAS No.: 110-25-8 EC No.: 203-749-3

**Results of PBT and vPvB assessment:** This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No data available.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

Dispose of waste according to applicable legislation.

**Waste treatment options**

**Appropriate disposal / Product:**

Dispose of waste according to applicable legislation.

**Appropriate disposal / Package:**

Non-contaminated packages may be recycled.

**Other disposal recommendations:**

Consult the appropriate local waste disposal expert about waste disposal.

**13.2. Additional information**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information**

| Land transport (ADR/RID)                                   | Inland waterway craft (ADN)                                | Sea transport (IMDG)                                       | Air transport (ICAO-TI / IATA-DGR)                         |
|--|--|--|--|
| <b>14.1. UN number or ID number</b>                        |  |  |  |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| <b>14.2. UN proper shipping name</b>                       |  |  |  |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| <b>14.3. Transport hazard class(es)</b>                    |  |  |  |
| not relevant   | not relevant   | not relevant   | not relevant   |
| <b>14.4. Packing group</b>                                 |  |  |  |
| not relevant   | not relevant   | not relevant   | not relevant   |
| <b>14.5. Environmental hazards</b>                         |  |  |  |
| not relevant   | not relevant   | not relevant   | not relevant   |
| <b>14.6. Special precautions for user</b>                  |  |  |  |
| not relevant   | not relevant   | not relevant   | not relevant   |

**14.7. Maritime transport in bulk according to IMO instruments**

Not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU legislation**

**Other regulations (EU):**

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Safety data sheet available on request.



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

### 15.1.2. National regulations

#### [DE] National regulations

##### Störfallverordnung (12. BImSchV)

###### for substances contained in the product:

This product is not assigned to a hazard category.

##### Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

###### Remark:

To follow: 5.2.5

##### Water hazard class

###### WGK:

2 - deutlich wassergefährdend

###### Source:

Self-classification (mixture; calculation rule).

Identification number 436

##### Technische Regeln für Gefahrstoffe

TRGS 510

TRGS 500

##### Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868

Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

##### Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltöIV)

#### [DK] National regulations

##### Other regulations, restrictions and prohibition regulations

Dänemark: Bekendtgørelse af lov om arbejdsmiljø: Beskæftigelsesministeriets lovbekendtgørelse nr. 1072 af 7. september 2010

Lister over stoffer og processer, der anses for at være kræftfremkaldende

#### [FR] National regulations

##### Other regulations, restrictions and prohibition regulations

Frankreich: Tableaux de maladies professionnelles

Nomenclature des installations classées pour la protection de l'environnement

Articles L. 4523-1 à L. 4523-17, L. 4611-1 à L. 4614-16, R. 4523-1 à R. 4523-17 et R. 4612-1 à R. 4615-21 du Code du travail

#### [NL] National regulations

##### Other regulations, restrictions and prohibition regulations

Niederlande: Lijst vankankerverwekkende, mutagene en voor de voortplanting giftige stoffen (SZW)

Algemeene beoordelingsmethodiek Water (ABM)

Nederlandse emissierichtlijn (NeR)

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Borstvoeding

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Vruchtbaarheid

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Ontwikkeling

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

Wet van 18 maart 1999, houdende bepalingen ter verbetering van de arbeidsomstandigheden (Arbeidsomstandighedenwet)

Wet op de ondernemingsraden 1971

#### [CH] National regulations

##### Other regulations, restrictions and prohibition regulations

Mengenschwelle (Schweiz - StFV)

Gefahrencode

Brandverhütung, BVD (Schweiz)

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### 15.3. Additional information

No data available.

## SECTION 16: Other information

### 16.1. Indication of changes

Not applicable



Revision date: 1 Mar 2023 Version: 1 Print date: 1 Mar 2023

## 16.2. Abbreviations and acronyms

See overview table at [www.euphrac.eu](http://www.euphrac.eu)

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

## 16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

## 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

## 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

| Hazard statements |   |
|-------------------|---|
| H304              | May be fatal if swallowed and enters airways. |
| H315              | Causes skin irritation.                       |
| H318              | Causes serious eye damage.                    |
| H332              | Harmful if inhaled.                           |
| H400              | Very toxic to aquatic life.                   |

## 16.6. Training advice

No data available

## 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.