



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

RAVENOL VSH SAE 0W-20

Article No.:

1111154

UFI:

UU80-NRYJ-KNEN-JE8X

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Lubricant

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Produktsicherheit
Jöllenbecker Str. 2
33824 Werther
Germany

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 40

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): sdb@ravenol.de

1.4. Emergency telephone number

24 hr. emergency phone number, 24h: +1 872 5888271 (Contract ID: RAV)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

Hazard components for labelling:

Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts; Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated

Hazard statements for health hazards

H317 May cause an allergic skin reaction.

Precautionary statements Prevention

P261 Avoid breathing vapours and spray.

P280 Wear protective gloves and eye protection/face protection.

Precautionary statements Response

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Precautionary statements Disposal

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards**Other adverse effects:**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients*** 3.2. Mixtures****Hazardous ingredients / Hazardous impurities / Stabilisers:**

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64742-54-7 EC No.: 265-157-1 REACH No.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified Asp. Tox. 1 (H304) Danger Acute Toxicity Estimate ATE (oral) 5,000 mg/kg ATE (dermal) 5,000 mg/kg ATE (inhalation, dust/mist) 5.53 mg/L	40 - < 75 weight-%
CAS No.: 68037-01-4 EC No.: 500-183-1 REACH No.: 01-2119486452-34	1-decene, homopolymer, hydrogenated Asp. Tox. 1 (H304) Danger Acute Toxicity Estimate ATE (oral) > 5,000 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, dust/mist) > 5 mg/L	15 - < 25 weight-%
CAS No.: 125643-61-0 EC No.: 406-040-9 Index No.: 607-530-00-7 REACH No.: 01-0000015551-76	Isomer mixture of C7-9-alkyl-3- (3,5-di-trans-butyl-4-hydroxyphenyl) propionate Aquatic Chronic 4 (H413) Acute Toxicity Estimate ATE (oral) > 2,000 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, dust/mist) > 5 mg/L	1 - < 2 weight-%
CAS No.: 114959-46-5 EC No.: 931-276-9	Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts Skin Sens. 1 (H317) Warning Acute Toxicity Estimate ATE (oral) > 5,000 mg/kg ATE (dermal) > 2,000 mg/kg	1 - < 2 weight-%
EC No.: 953-650-0	Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated Repr. 2 (H361d), Skin Sens. 1B (H317) Warning	0 - < 1 weight-%



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 72623-87-1 EC No.: 276-738-4 REACH No.: 01-2119474889-13	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil Asp. Tox. 1 (H304) Danger Acute Toxicity Estimate ATE (oral) > 5,000 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, dust/mist) > 5 mg/L	0 - < 0.8 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

* 4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. Consult a doctor immediately.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately. May cause an allergic skin reaction.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

* 4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Observe risk of aspiration if vomiting occurs.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO₂)

Extinguishing powder

alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers.

Unsuitable extinguishing media:

Full water jet

* 5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x),

During heating or in case of fire, toxic gases is possible.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

Protective equipment:

Personal protection equipment: see section 8

Emergency procedures:

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

* 7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

Fire prevent measures:

No special fire protection measures are necessary.

Environmental precautions:

Shafts and sewers must be protected from entry of the product.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

Hints on storage assembly:

not required

Storage class (TRGS 510, Germany): 10 - Combustible liquids that cannot be assigned to any of the above storage classes**Further information on storage conditions:**

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)**Recommendation:**

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection*** 8.1. Control parameters****8.1.1. Occupational exposure limit values**

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
PL from 12 Jun 2018	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Mgła olejowa mineralny)
MAK (AT)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Ölnebel, mineralisch einatembare Fraktion)
BE	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Brouillard d'huile minéral)
Québec (CA) from 1 Dec 2024	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Oil mist mineral)
HU from 28 May 2022	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Olajköd ásványi) T
SE	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m ³ ② 3 mg/m ³ ⑤ (Oljeånga eller rök)
SE from 9 Apr 2026	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m ³ ③ 3 mg/m ³
ES	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (Niebla de aceite mineral) am
NL	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Olienevel mineraal)
OSHA (US)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Oil mist mineral)
NIOSH (US)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (Oil mist mineral)



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
ACGIH (US) from 1 Jan 2010	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Oil mist mineral, inhalable fraction)
CZ	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (Rozprášený olej (olejová mlhovina) minerální)
NO	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m ³ ⑤ (Oljetåke mineralsk)
NPEL (SK) from 23 Nov 2011	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 ppm (1 mg/m ³) ② 15 ppm (3 mg/m ³) ⑤ (Olejová hmlovina minerálny)
Alberta (CA)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (Oil mist mineral)
HTP (FI) from 1 Mar 2025	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 2 mg/m ³ ② 10 mg/m ³ ⑤ (Öljysumu)
LT	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m ³ ② 3 mg/m ³ ⑤ (Tepalo rūkas arba dūmai)
BC (CA) from 1 Jan 2007	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 0.2 mg/m ³ ⑤ (Oil mist mineral) 1
MY from 1 Jan 2000	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Kabus minyak mineral)
BC (CA) from 1 Jan 2007	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 1 mg/m ³ ⑤ (Oil mist mineral, highly refined)
TW	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (## ##)
GR from 1 Oct 2016	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Εκκνέφωμα λαδιού, ορυκτό)
MY from 1 Jan 2000	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 10 mg/m ³ ⑤ (Kabus minyak, vegetal)
RO from 21 Aug 2018	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ② 10 mg/m ³ ⑤ (Ceata uleioasa mineral)
CH from 1 Jan 2025	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (einatembare Fraktion; krebserzeugend) C2; Messmeth: NIOSH DFG



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
LV from 12 Jul 2018	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Eļļas migla)
REL (JP)	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 3 mg/m ³ ⑤ (##### ##)
IDLH (US) from 1 Jan 1994	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 2,500 mg/m ³
IE from 1 Apr 2016	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³ ⑤ (Oil mist mineral, inhalable fraction)
TR from 20 Oct 2023	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4	① 5 mg/m ³

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
Isomer mixture of C7-9-alkyl-3- (3,5-di-trans-butyl-4-hydroxyphenyl) propionate CAS No.: 125643-61-0 EC No.: 406-040-9	2.33 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts CAS No.: 114959-46-5 EC No.: 931-276-9	100 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts CAS No.: 114959-46-5 EC No.: 931-276-9	10 mg/L	① PNEC aquatic, freshwater
Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts CAS No.: 114959-46-5 EC No.: 931-276-9	4.02 mg/kg	① PNEC sediment, freshwater

* 8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment



Eye/face protection:

During transfer: Eye glasses with side protection
 Wear eye/face protection. EN 166

Skin protection:

Hand protection



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)
 Thickness of the glove material: $\geq 0,4$ mm
 Breakthrough time: 480 min
 Breakthrough times and swelling properties of the material must be taken into consideration.
 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
 For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
 Tested protective gloves must be worn: EN ISO 374
 Suitable protective clothing: Protective clothing

Respiratory protection:

Usually no personal respirative protection necessary.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

* **9.1. Information on basic physical and chemical properties**

Appearance

Physical state: Liquid

Form: Liquid

Colour: green

Odour: characteristic

flammability: Yes

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	<i>not applicable</i>		
Melting point	<i>No data available</i>		
Freezing point	<i>No data available</i>		
Initial boiling point and boiling range	<i>No data available</i>		
Decomposition temperature	<i>not applicable</i>		
Flash point	232 °C		
Evaporation rate	<i>No data available</i>		
Auto-ignition temperature	<i>No data available</i>		
Upper/lower flammability or explosive limits	<i>No data available</i>		
Vapour pressure	<i>No data available</i>		
Vapour density	<i>No data available</i>		
Density	847 kg/m ³	15 °C	
Relative density	<i>not applicable</i>		
Bulk density	<i>not applicable</i>		
Water solubility	practically insoluble		
Partition coefficient: n-octanol/water	<i>not applicable</i>		
Dynamic viscosity	<i>No data available</i>		
Kinematic viscosity	46 mm ² /s	40 °C	

9.2. Other information

Not applicable

SECTION 10: Stability and reactivity

* **10.1. Reactivity**

No known hazardous reactions.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

10.5. Incompatible materials

Materials to avoid: Acid, Oxidising agent, Reducing agent

10.6. Hazardous decomposition products

Hazardous combustion products: Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x),
 During heating or in case of fire, toxic gases is possible.

Further information

No information available.

SECTION 11: Toxicological information

* **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1
LD₅₀ oral: 5,000 mg/kg (Rat) OECD 401
LD₅₀ dermal: 5,000 mg/kg (Rabbit) OECD 402
LC₅₀ Acute inhalation toxicity (dust/mist): 5.53 mg/L 4 h (Rat) OECD 403
1-decene, homopolymer, hydrogenated CAS No.: 68037-01-4 EC No.: 500-183-1
LD₅₀ oral: >5,000 mg/kg (Rat)
LD₅₀ dermal: >2,000 mg/kg (Rabbit)
LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L 4 h (Rat)
Isomer mixture of C7-9-alkyl-3- (3,5-di-trans-butyl-4-hydroxyphenyl) propionate CAS No.: 125643-61-0 EC No.: 406-040-9
LD₅₀ oral: >2,000 mg/kg (Ratte)
LD₅₀ dermal: >2,000 mg/kg (Ratte)
LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L
Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts CAS No.: 114959-46-5 EC No.: 931-276-9
LD₅₀ oral: >5,000 mg/kg (rat) OECD 402
LD₅₀ dermal: >2,000 mg/kg (rat) OECD 402
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4
LD₅₀ oral: >5,000 mg/kg (Rat) OECD 401
LD₅₀ dermal: >2,000 mg/kg (Rabbit) OECD 402
LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

May cause an allergic skin reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Observe risk of aspiration if vomiting occurs.



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

For viscosity data, see section 9.

Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

* **11.2. Information on other hazards**

Endocrine disrupting properties:

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information:

No data available.

SECTION 12: Ecological information

* **12.1. Toxicity**

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1
LC₅₀: 100 mg/L 4 d (fish)
LC₅₀: 10,000 mg/L 4 d (crustaceans)
EC₅₀: 10,000 mg/L 2 d (crustaceans)
NOEC: 100 mg/L 4 d (fish)
NOEC: 100 mg/L 3 d (Algae/water plant)
NOEC: ≥100 mg/L 3 d (Algae/water plant, Algen)
1-decene, homopolymer, hydrogenated CAS No.: 68037-01-4 EC No.: 500-183-1
LC₅₀: >750 mg/L 4 d (fish)
EC₅₀: 190 mg/L 2 d (crustaceans, Daphnia pulex (water flea))
EC₅₀: >1,000 mg/L 3 d (Algae/water plant)
Isomer mixture of C7-9-alkyl-3- (3,5-di-trans-butyl-4-hydroxyphenyl) propionate CAS No.: 125643-61-0 EC No.: 406-040-9
EC₅₀: >100 mg/L 2 d (crustaceans, Daphnie)
NOEC: >3 mg/L 3 d (Algae/water plant, Alge)
Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts CAS No.: 114959-46-5 EC No.: 931-276-9
LC₅₀: >1,000 mg/L 4 d (fish)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4
EC₅₀: >100 mg/L 2 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201
EC₅₀: >10,000 mg/L 2 d (crustaceans, Daphnia magna (Big water flea)) OECD 202
NOEC: 10 mg/L 21 d (crustaceans, Daphnia magna (Big water flea)) OECD 211
NOEC: >100 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201
NOEC: >100 mg/L 4 d (fish, Pimephales promelas (fathead minnow))

Assessment/classification:

Based on available data, the classification criteria are not met.

Additional ecotoxicological information:

Do not allow uncontrolled discharge of product into the environment.

* **12.2. Persistence and degradability**

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4
Biodegradation: Yes, slowly

Biodegradation:

Not readily biodegradable (according to OECD criteria)

* **12.3. Bioaccumulative potential**

1-decene, homopolymer, hydrogenated CAS No.: 68037-01-4 EC No.: 500-183-1
Log K_{OW}: > 6.5
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4
Log K_{OW}: 6

Partition coefficient: n-octanol/water:

not applicable



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

Accumulation / Evaluation:

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

* **12.5. Results of PBT and vPvB assessment**

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
1-decene, homopolymer, hydrogenated CAS No.: 68037-01-4 EC No.: 500-183-1
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
Isomer mixture of C7-9-alkyl-3- (3,5-di-trans-butyl-4-hydroxyphenyl) propionate CAS No.: 125643-61-0 EC No.: 406-040-9
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs., calcium salts CAS No.: 114959-46-5 EC No.: 931-276-9
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated EC No.: 953-650-0
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil CAS No.: 72623-87-1 EC No.: 276-738-4
Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.6. Endocrine disrupting properties

This product contains a substance that has endocrine disrupting properties with respect to humans.

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

Other disposal recommendations:

Consult the appropriate local waste disposal expert about waste disposal.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments
 Not applicable

SECTION 15: Regulatory information

* **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.
 Safety data sheet available on request.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compound (VOC) content: 0 weight-%

15.1.2. National regulations

 **[DE] National regulations**

Störfallverordnung (12. BImSchV)

for substances contained in the product:

This product is not assigned to a hazard category.

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Remark:

To follow: 5.2.5

Water hazard class

WGK:

2 - obviously hazardous to water

Source:

Self-classification (mixture; calculation rule).
 Identification number 436

Technische Regeln für Gefahrstoffe


TRGS 510
 TRGS 500

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868
 Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltöIV)

 **[DK] National regulations**

Other regulations, restrictions and prohibition regulations

Dänemark: Bekendtgørelse af lov om arbejdsmiljø: Beskæftigelsesministeriets lovbekendtgørelse nr. 1072 af 7. september 2010
 Lister over stoffer og processer, der anses for at være kræftfremkaldende

 **[FR] National regulations**

Other regulations, restrictions and prohibition regulations

Frankreich: Tableaux de maladies professionnelles
 Nomenclature des installations classées pour la protection de l'environnement
 Articles L. 4523-1 à L. 4523-17, L. 4611-1 à L. 4614-16, R. 4523-1 à R. 4523-17 et R. 4612-1 à R. 4615-21
 du Code du travail

 **[NL] National regulations**

Other regulations, restrictions and prohibition regulations

Niederlande: Lijst vankankerverwekkende, mutagene en voor de voortplanting giftige stoffen (SZW)
 Algemeene beoordelingsmethodiek Water (ABM)
 Nederlandse emissierichtlijn (NeR)
 NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Borstvoeding



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Vruchtbaarheid
 NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Ontwikkeling
 SZW-lijst van kankerverwekkende stoffen
 SZW-lijst van mutagene stoffen
 Wet van 18 maart 1999, houdende bepalingen ter verbetering van de arbeidsomstandigheden
 (Arbeidsomstandighedenwet)
 Wet op de ondernemingsraden 1971



[CH] National regulations

Other regulations, restrictions and prohibition regulations

Mengenschwelle (Schweiz - StFV)
 Gefahrencode
 Brandverhütung, BVD (Schweiz)



[SK] National regulations

Other regulations, restrictions and prohibition regulations

Zákon č. 67/2010 Z.z., o podmienkach uvedenia chemických látok a chemických zmesí na trh a o zmene a doplnení niektorých zákonov (chemický zákon).
 Zákon č. 124/2006 Z. z. o bezpečnosti a ochrane zdravia pri práci a o zmene a doplnení niektorých zákonov.
 Zákon NR SR č. 355/2007 Z.z., o ochrane, podpore a rozvoji verejného zdravia a o zmene a doplnení niektorých zákonov, v znení neskorších predpisov.
 Nariadenie vlády SR 471/2011 Z.z., ktorým sa mení nariadenie vlády Slovenskej republiky č. 355/2006 Z. z. o ochrane zamestnancov pred rizikami súvisiacimi s expozíciou chemickým faktorom pri práci, Príloha č.1.
 Zákon č. 79/2015 Z.z. o odpadoch v znení neskorších predpisov.
 Vyhláška MV SR č. 96/2004 Z.z., ktorou sa ustanovujú zásady protipožiarnej bezpečnosti pri manipulácii a skladovaní horľavých kvapalín, ťažkých vykurovacích olejov a rastlinných a živočíšnych tukov a olejov.
 Zákon NR SR č. 137/2010 Z.z. o ovzduší v znení neskorších predpisov.
 Zákon č. 319/2013 Z.z. o pôsobnosti orgánov štátnej správy pre sprístupňovanie biocídnych výrobkov na trh a ich používanie a o zmene a doplnení niektorých zákonov (biocídny zákon).

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

15.3. Additional information

No data available.

SECTION 16: Other information

* **16.1. Indication of changes**

1.1.	Product identifier
2.1.	Classification of the substance or mixture
2.2.	Label elements
3.2.	Mixtures
4.1.	Description of first aid measures
4.2.	Most important symptoms and effects, both acute and delayed
5.2.	Special hazards arising from the substance or mixture
7.1.	Precautions for safe handling
8.1.	Control parameters
8.2.	Exposure controls
9.1.	Information on basic physical and chemical properties
10.1.	Reactivity
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
11.2.	Information on other hazards
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.2.	Abbreviations and acronyms
16.4.	Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

* **16.2. Abbreviations and acronyms**

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DNEL	derived no-effect level
EC ₅₀	Effective Concentration 50%
EG	European Community
ES	Exposure scenario
EU	European Union
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
LC ₅₀	Lethal (fatal) Concentration 50%
LD ₅₀	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
Tox.	Toxicity
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations
VOC	Volatile organic compounds

See overview table at www.euphrac.eu
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

EC 1907/2006 - REACH Regulation
 1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006
 Regulation (EC) No 1907/2006 (REACH), Annex II
 European Chemicals Agency (ECHA), C & L classification and labeling inventory
 European Chemicals Agency (ECHA), ECHA CHEM Registered substances
 OECD The Global Portal to Information on Chemical Substances (ChemPortal)
 Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances
 Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

* **16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]**

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	Calculation method.

* **16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15**

Hazard statements	
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.



Revision date: 10 Apr 2026 Version: 5 Print date: 10 Apr 2026

Hazard statements

H361d	Suspected of damaging the unborn child.
H413	May cause long lasting harmful effects to aquatic life.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version.