

Page 1/11

Revision date: 26 Sept 2023 Version: 8 Print date: 26 Sept 2023

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier

Trade name/designation:

RAVENOL VollSynth Turbo VST SAE 5W-40

Article No.: 1111136

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Lubricant

* 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor): Ravensberger Schmierstoffvertrieb GmbH

Produktsicherheit Jöllenbecker Str. 2 33824 Werther Germany **Telephone:** +49 5203 9719 0 **Telefax:** +49 5203 9719 40 **E-mail:** kontakt@ravenol.de **Website:** www.ravenol.de

E-mail (competent person): sdb@ravenol.de

* 1.4. Emergency telephone number

24 hr. emergency phone number, 24h: +49 700 24 112 112 (Contract ID: RAV) / +1 872 5888271 (Contract ID: RAV)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: none

Supplemental hazard information		
EUH208	Contains Molybdenum alkylthiocarbamide complex. May produce an allergic reaction.	
EUH210 Safety data sheet available on request.		

Precautionary statements: none

2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



Revision date: 26 Sept 2023 Version: 8 Print date: 26 Sept 2023

SECTION 3: Composition/information on ingredients

* 3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 68037-01-4 EC No.: 500-183-1 REACH No.: 01-2119486452-34	1-decene, homopolymer, hydrogenated Asp. Tox. 1 (H304) Danger	30 - < 50 weight-%
CAS No.: 36878-20-3 EC No.: 253-249-4 REACH No.: 01-2119488911-28	bis(nonylphenyl)amine The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].	0 - < 1.5 weight-%
CAS No.: 1190625-94-5 EC No.: 931-468-2 REACH No.: 01-2119498288-19	C14-16-18 Alkyl phenol Aquatic Chronic 4 (H413), Skin Irrit. 2 (H315) Warning	0 - < 1.5 weight-%
CAS No.: 28629-66-5 EC No.: 249-109-7 REACH No.: 01-2119953278-28	zinc bis(O,O-diisooctyl) bis(dithiophosphate) Aquatic Chronic 2 (H411), Eye Dam. 1 (H318), Skin Irrit. 2 (H315)	0 - < 1.5 weight-%
EC No.: 457-320-2 REACH No.: 01-0000019337-66	Molybdenum alkylthiocarbamide complex Aquatic Chronic 3 (H412), Skin Irrit. 2 (H315), Skin Sens. 1B (H317) Warning	0 - < 0.15 weight-%

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. Consult a doctor immediately.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

4.2. Most important symptoms and effects, both acute and delayed Contains Molybdenum alkylthiocarbamide complex. May produce an allergic reaction.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. Observe risk of aspiration if vomiting occurs.

SECTION 5: Firefighting measures

5.1. Extinguishing media

pa

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO2) Extinguishing powder alcohol resistant foam Use water spray jet to protect personnel and to cool endangered containers.

Page 3/11

RAVENOĽ

Revision date: 26 Sept 2023 Version: 8 Print date: 26 Sept 2023

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), During heating or in case of fire, toxic gases is possible.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

* 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

Protective equipment:

Personal protection equipment: see section 8

Emergency procedures:

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

* 7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.



RAVENOĽ

Revision date: 26 Sept 2023 Version: 8 Print date: 26 Sept 2023

Fire prevent measures:

No special fire protection measures are necessary.

Environmental precautions:

Shafts and sewers must be protected from entry of the product.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product. Keep/Store only in original container.

Hints on storage assembly:

not required

Storage class (TRGS 510, Germany): 10 – Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	 DNEL type Exposure route
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	5 mg/kg bw/ day	 DNEL worker Long-term - dermal, systemic effects
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	1.17 mg/m ³	 DNEL worker Long-term - inhalation, systemic effects
Molybdenum alkylthiocarbamide complex EC No.: 457-320-2	3.52 mg/m ³	 DNEL worker Long-term - inhalation, systemic effects
Molybdenum alkylthiocarbamide complex EC No.: 457-320-2	2.24 mg/kg	 DNEL worker Long-term - dermal, systemic effects
Molybdenum alkylthiocarbamide complex EC No.: 457-320-2	0.112 mg/cm ²	 DNEL worker Long-term - dermal, local effects
Substance name	PNEC Value	① PNEC type
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	412 μg/L	 PNEC aquatic, freshwater
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	41.2 μg/L	(1) PNEC aquatic, marine water
bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4	1 mg/L	 PNEC aquatic, intermittent release



RAVENOL

Revision date: 26 Sept 2023 Version: 8 Print date: 26 Sept 2023

Substance name	PNEC Value	① PNEC type
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	100 μg/L	① PNEC aquatic, freshwater
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	10 μg/L	① PNEC aquatic, marine water
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	100 mg/L	1 PNEC sewage treatment plant
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	4,266.16 mg/ kg bw/day	① PNEC sediment, freshwater
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	426.62 mg/kg bw/day	① PNEC sediment, marine water
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	852.58 mg/kg bw/day	① PNEC soil
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	3.3 mg/kg bw/ day	 PNEC secondary poisoning
C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2	1 mg/L	 PNEC aquatic, intermittent release
Molybdenum alkylthiocarbamide complex EC No.: 457-320-2	0.081 mg/L	 PNEC aquatic, freshwater
Molybdenum alkylthiocarbamide complex EC No.: 457-320-2	0.008 mg/L	 PNEC aquatic, marine water
Molybdenum alkylthiocarbamide complex EC No.: 457-320-2	10 mg/L	① PNEC sewage treatment plant
Molybdenum alkylthiocarbamide complex EC No.: 457-320-2	195 mg/kg	① PNEC sediment, freshwater
Molybdenum alkylthiocarbamide complex EC No.: 457-320-2	19.5 mg/kg	① PNEC sediment, marine water
Molybdenum alkylthiocarbamide complex EC No.: 457-320-2	0.872 mg/kg	① PNEC soil
Molybdenum alkylthiocarbamide complex EC No.: 457-320-2	20 mg/kg	① PNEC secondary poisoning

* 8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment



Eye/face protection:

During transfer: Eye glasses with side protection Wear eye/face protection. EN 166

Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber) Thickness of the glove material: \geq 0,4 mm

Breakthrough time: 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

en / AL / AD / BY / BE / BA / BG / CN / DK / DE / EE / ...

	S	afety Data Sheet according to Reg AVENOL VollSynth Turbo VST SAE	ulation (EC) No. 3 5W-40	1907/200	6 (REACH) Page 6/11 RAVENOL
	Revision date: 26 Sept 2023 Version: 8 Print date: 26 Sept 2023				
	The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn: EN ISO 374 Suitable protective clothing: Protective clothing				
	R	espiratory protection: Usually no personal respirative pro	otection necessar	у.	
		B.2.3. Environmental exposu See section 7. No additional meas			
	S	SECTION 9: Physical and	chemical p	r <mark>opert</mark>	ies
*	A	0.1. Information on basic plant	hysical and ch	nemical	l properties
		Physical state: Liquid		Colour	r: tawny
		Ddour: characteristic			
	S	afety relevant basis data			
		Parameter	Value	at °C	1 Method
					② Remark
		рН	not applicable		
		Melting point	not determined		
		Freezing point	not determined		
		Initial boiling point and boiling range			
		Decomposition temperature	not determined		
		Flash point	238 °C		
		Evaporation rate	not determined		
		Auto-ignition temperature	not determined		
		Upper/lower flammability or explosive limits	not determined		
		Vapour pressure	not determined		
		Vapour density	not determined		
		Density	849 kg/m³	15 °C	
		Relative density	not applicable		
		Bulk density	not applicable		
		Water solubility	practically insoluble		
		Partition coefficient: n-octanol/water	not applicable		
		Dynamic viscosity	not determined		
Kinematic viscosity		Kinematic viscosity	79 mm²/s	40 °C	
		0.2. Other information Not applicable			
	SECTION 10: Stability and reactivity				

* 10.1. Reactivity

ра

No known hazardous reactions.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

10.5. Incompatible materials

Materials to avoid: Acid, Oxidising agent, Reducing agent

* **10.6.** Hazardous decomposition products

Hazardous combustion products: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx),

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)	
RAVENOL VollSynth Turbo VST SAE 5W-40	



RAVENOĽ

Revision date: 26 Sept 2023 Version: 8 Print date: 26 Sept 2023

During heating or in case of fire, toxic gases is possible.

Further information

No information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

1-decene, homopolymer, hydrogenated CAS No.: 68037-01-4 EC No.: 500-183-1

LD₅₀ oral: >5,000 mg/kg (Rat)

LD₅₀ dermal: >2,000 mg/kg (Rabbit)

LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L 4 h (Rat)

bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4

LD₅₀ oral: >5,000 mg/kg (Rat)

LD₅₀ dermal: >2,000 mg/kg (Rabbit)

LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L

C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2

LD₅₀ oral: 2,000 mg/kg

LD₅₀ dermal: 2,000 mg/kg

Molybdenum alkylthiocarbamide complex EC No.: 457-320-2

LD₅₀ oral: >2,000 mg/kg (Rat) OECD Guideline 425

LD₅₀ dermal: >2,000 mg/kg (Rat) OECD Guideline 402

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Contains Molybdenum alkylthiocarbamide complex. May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Observe risk of aspiration if vomiting occurs.

For viscosity data, see section 9.

Additional information:

Frequently or prolonged contact with skin may cause dermal irritation.

11.2. Information on other hazards

Endocrine disrupting properties:

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information:

No data available.



RAVENOĽ

Revision date: 26 Sept 2023 Version: 8 Print date: 26 Sept 2023

SECTION 12: Ecological information

* 12.1. Toxicity

1-decene, homopolymer, hydrogenated CAS No.: 68037-01-4 EC No.: 500-183-1

LC₅₀: >750 mg/L 4 d (fish)

EC₅₀: 190 mg/L 2 d (crustaceans, Daphnia pulex (water flea))

EC₅₀: >1,000 mg/L 3 d (Algae/water plant)

bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4

LC₅₀: >100 mg/L 4 d (fish)

EC₅₀: >100 mg/L 2 d (crustaceans)

EC₅₀: 600 mg/L 3 d (Algae/water plant)

C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2

EC₅₀: 100 mg/L 2 d (crustaceans)

EC₅₀: 100 mg/L 2 d (Algae/water plant)

Molybdenum alkylthiocarbamide complex EC No.: 457-320-2

LC₅₀: 670 mg/L 4 d (fish)

EC₅₀: 50 mg/L 2 d (crustaceans)

NOEC: 100 mg/L 21 d (crustaceans)

EC₅₀: 9.62 mg/L 3 d (Algae/water plant)

NOEC: 4.05 mg/L 3 d (Algae/water plant)

Assessment/classification:

The substance/mixture does not fullfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

Additional ecotoxicological information:

Do not allow uncontrolled discharge of product into the environment.

* 12.2. Persistence and degradability

bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4

Biodegradation: —

Biodegradation:

Not readily biodegradable (according to OECD criteria)

* 12.3. Bioaccumulative potential

bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4

Log K_{OW}: 7.6

Bioconcentration factor (BCF): 1,584.89

Partition coefficient: n-octanol/water:

not applicable

Accumulation / Evaluation:

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

* 12.5. Results of PBT and vPvB assessment

1-decene, homopolymer, hydrogenated CAS No.: 68037-01-4 EC No.: 500-183-1

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. bis(nonylphenyl)amine CAS No.: 36878-20-3 EC No.: 253-249-4

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. C14-16-18 Alkyl phenol CAS No.: 1190625-94-5 EC No.: 931-468-2

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. zinc bis(O,O-diisooctyl) bis(dithiophosphate) CAS No.: 28629-66-5 EC No.: 249-109-7

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. Molybdenum alkylthiocarbamide complex EC No.: 457-320-2

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



RAVENOL

Revision date: 26 Sept 2023 Version: 8 Print date: 26 Sept 2023

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to nontarget organisms as no components meets the criteria.

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

Other disposal recommendations:

Consult the appropriate local waste disposal expert about waste disposal.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number	·	
No dangerous good in sense of these transport regulations.			
14.2. UN proper ship	ping name		
No dangerous good in sense of these transport regulations.			
14.3. Transport haza	rd class(es)		
not relevant	not relevant	not relevant	not relevant
14.4. Packing group		`	
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precau	tions for user		
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category. Safety data sheet available on request.

15.1.2. National regulations

[DE] National regulations

Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

	ta Sheet according to Regulation (EC) No. 1907/2006 (REACH) Page 10/2 VollSynth Turbo VST SAE 5W-40 REIVERDUC
Revision d	late: 26 Sept 2023 Version: 8 Print date: 26 Sept 2023
Fechniscl	he Anleitung zur Reinhaltung der Luft (TA-Luft)
Remark	
	ow: 5.2.5
	zard class
WGK:	viewely bezerdeue to water
Source	viously hazardous to water
	assification (mixture; calculation rule).
	fication number 436
echniscl	he Regeln für Gefahrstoffe
TRGS 51	
TRGS 50	
	nossenschaftliche Vorschriften (DGUV-Vorschriften) enossenschaftliche Informationen (DGUV-Informationen) 868
	enossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195
	gulations, restrictions and prohibition regulations
	rordnung (AltölV)
_ [DK]	National regulations
	gulations, restrictions and prohibition regulations
	ark: Bekendtgørelse af lov om arbejdsmiljø: Beskæftigelsesministeriets lovbekendtgørelse nr.
	7. september 2010
	ver stoffer og processer, der anses for at vaere kraeftfremkaldende
	National regulations
	gulations, restrictions and prohibition regulations ch: Tableaux de maladies professionelles
	lature des installations classées pour la protection de l'environnement
	L. 4523-1 à L. 4523-17, L. 4611-1 à L. 4614-16, R. 4523-1 à R. 4523-17 et R. 4612-1 à R. 4615-2
	du travail
[NL]	National regulations
	gulations, restrictions and prohibition regulations
	nde: Lijst vank kankerverwekkende, mutagene en voor de voortplanting giftige stoffen (SZW)
	ene beoordelingsmethodiek Water (ABM) ndse emissierichtlijn (NeR)
	nitatieve lijst an voor de voortplanting giftige stoffen - Borstvoeding
	nitatieve lijst an voor de voortplanting giftige stoffen - Vruchtbaarheid
	nitatieve lijst an voor de voortplanting giftige stoffen - Ontwikkeling
	t van kankerverwekkende stoffen
	t van mutagene stoffen
	18 maart 1999, houdende bepalingen ter verbetering van de arbeidsomstandigheden comstandighedenwet)
	de ondernemingsraden 1971
	National regulations
	-
	gulations, restrictions and prohibition regulations schwelle (Schweiz - StFV)
Gefahre	
	erhütung, BVD (Schweiz)
	nemical Safety Assessment
	I safety assessments for substances in this mixture were not carried out.
	ditional information
	available.
ECTIO	N 16: Other information
6.1. In	dication of changes
	Details of the supplier of the safety data sheet
	mergency telephone number
	abel elements
3.2. №	lixtures
12 M	Ast important symptoms and officets, both acuto and dolayod

*



RAVENOL

Revision date: 26 Sept 2023 Version: 8 Print date: 26 Sept 2023

6.1.	Personal precautions, protective equipment and emergency procedures
7.1.	Precautions for safe handling
8.1.	Control parameters
8.2.	Exposure controls
9.1.	Information on basic physical and chemical properties
10.1.	Reactivity
10.6.	Hazardous decomposition products
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
11.2.	Information on other hazards
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.5.	Relevant R-, H- and EUH-phrases (Number and full text)

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006 Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements		
H304	May be fatal if swallowed and enters airways.	
H315	H315 Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version.