



RAVENOL Oldtimer Classic SAE 30 API SB



ART.-NR. 1118113

1 L | 1118113-001
5 L | 1118113-005
60 L | 1118113-060

SPECIFICATIONS API SB
FABRICATION MINERAL

*With their unique formulation, **RAVENOL Classic 1 Engine Oils** extend the service life of engines in older vehicles by offering protection against sludge formation and wear and tear. By minimizing friction, fuel consumption is also reduced.*

RAVENOL Oldtimer Classic SAE 30 API SB is an alloyed single grade engine oil for use in classic vehicles with or without an oil filter. It is manufactured using carefully selected pure mineral raffinates. It provides oxidation stability, it is non-foaming and also has excellent viscosity-temperature characteristics. Thanks to its low setting point, this oil can be used in both low and high temperatures and guarantees perfect lubrication. It is suitable for use in most petrol engines / classic vehicles built before 1951. Using this oil in modern engines can lead to defective performance or cause damage.

Application Notes

RAVENOL Oldtimer Classic SAE 30 API SB is designed for use in the engines of vehicles which were built prior to 1951, where the API specification SB is required.

Adhere to oil change intervals specified in the manufacturer's instructions.

Characteristics

RAVENOL Oldtimer Classic SAE 30 API SB offers:

- Excellent material compatibility
- Prevention of caking and coking of cylinders, pistons and valves



- Selected base oils ensure high oxidation protection
- Safe lubrication film at high operating temperatures
- Neutrality against sealing materials
- Excellent protection against wear, corrosion and foaming



Property	Unit	Data	Audit
Density at 20°C	kg/m ³	877,0	EN ISO 12185
Colour		gelb	visual
Viscosity at 100°C	mm ² /s	11,41	DIN 51 562
Viscosity at 40°C	mm ² /s	103,3	DIN 51 562
Viscosity index VI		96	DIN ISO 2909
Pourpoint	°C	-12	DIN ISO 3016
Flash point (COC)	°C	266	DIN ISO 2592

All information correspond to the best of our knowledge to the actual situation of the cognitions and our development. Subject to alterations. All references made to DIN-norms are only for the description of the goods. There is no guarantee. In case there will be any problems please contact the technical service.

Release: : 22. December 2016